

Test Monitoring Center

@ Carnegie Mellon University 6555 Penn Avenue, Pittsburgh, PA 15206, USA http://astmtmc.cmu.edu 412-365-1000

Sequence IIIG Information Letter 16-1 Sequence No. 43 February 1, 2016

ASTM consensus has not been obtained on this information letter. An appropriate ASTM ballot will be issued in order to achieve such consensus.

TO: Sequence III Mailing List

SUBJECT: Additional Cleaning to Allow Reuse of Fuel Injectors

As a result of a recent Sequence III Surveillance Panel conference call, the panel agreed to allow the cleaning of fuel injectors by ultrasonic means. This cleaning method may be used for reference and non-reference testing on or after January 20, 2016. Sections 6.14.1.6 (a) and (b) and new footnote 15 have been added to Test Method D7320 and are attached.

Brues Matthe

Bruce Matthews Engine Oil Test Development and Support GM Powertrain Materials Engineering

Frank m Faiber

Frank M. Farber Director ASTM Test Monitoring Center

Attachments

c: <u>ftp://ftp.astmtmc.cmu.edu/docs/gas/sequenceiii/procedure_and_ils/IIIG/IL16-1.pdf</u>

Distribution: Electronic Mail

Modifies Test Method D7320-15a, as amended by Information Letter 15-2

6.14.1.6 Observe the spray pattern that each injector produces; if an injector's spray pattern is a straight stream or dribbles, the injector can be cleaned and reused after satisfactorily undergoing the following steps:

a) First, immerse the fuel injector in degreasing solvent briefly; remove it and place it in an ultrasonic-type cleaner for 20 min. (Ultrasonic Cleaner Lab Safety Model 32V118¹⁵ has been found suitable).

b) Repeat 6.14.1.1 through 6.14.1.5 above. If a cleaned injector's spray pattern still is a straight stream or dribbles, discard the injector.

¹⁵ Lab Safety Model 32V118 ultrasonic cleaner can be purchased from Grainger Catalog <u>www.grainger.com</u> or any local Grainger outlet.

Renumber existing Footnotes 15 through 31 as 16 through 32