

**D 7216 – Engine Oil Elastomer Compatibility (Annex A2 – Light-Duty Elastomers)  
Form 1 – Validity Declaration**

Version:  
Conducted for:

<b>V</b> = Valid
<b>I</b> = Invalid

Elastomer Type	Bath Number	Elastomer Batch	Oilcode	CMIR	SOT Date	SOT Time	EOT Date	EOT Time
Nitrile								
Polyacrylate								
Fluoroelastomer								
Silicone								
Ethylene Acrylate								

Alternate Codes:			
------------------	--	--	--

In my opinion this test _____ been conducted in accordance with Test Method D 7216, Annex A2, and the appropriate amendments through the Information Letter System. The remarks on Form 7 describe any anomalies associated with this test.
---

Submitted By: \_\_\_\_\_  
Testing Laboratory

\_\_\_\_\_ Signature

\_\_\_\_\_ Typed Name

\_\_\_\_\_ Title

**D 7216 – Engine Oil Elastomer Compatibility (Annex A2 – Light-Duty Elastomers) Form 2 – Candidate Data**

Sample Code:	Lab:	EOT Date:	Test Length:
--------------	------	-----------	--------------

Elastomer Identification	TMC Identification	Parameter	Reference Result	Candidate Result
Type:	Industry Oil:	Volume Change		
Nitrile		Hardness		
Batch:	CMIR:	Tensile Strength		

Elastomer Identification	TMC Identification	Parameter	Reference Result	Candidate Result
Type:	Industry Oil:	Volume Change		
Polyacrylate		Hardness		
Batch:	CMIR:	Tensile Strength		

Elastomer Identification	TMC Identification	Parameter	Reference Result	Candidate Result
Type:	Industry Oil:	Volume Change		
Fluoroelastomer		Hardness		
Batch:	CMIR:	Tensile Strength		

Elastomer Identification	TMC Identification	Parameter	Reference Result	Candidate Result
Type:	Industry Oil:	Volume Change		
Silicone		Hardness		
Batch:	CMIR:	Tensile Strength		

Elastomer Identification	TMC Identification	Parameter	Reference Result	Candidate Result
Type:	Industry Oil:	Volume Change		
Ethylene Acrylate		Hardness		
Batch:	CMIR:	Tensile Strength		

**D 7216 – Engine Oil Elastomer Compatibility (Annex A2 – Light-Duty Elastomers)  
Form 3 – Results Summary – Non-Reference Oil**

Sample Code:	Lab:
Lab Oil Code:	

Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:		Bath Number:		
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:		Bath Number:		
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:		Bath Number:		
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:		Bath Number:		
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

**D 7216 – Engine Oil Elastomer Compatibility (Annex A2 – Light-Duty Elastomers)  
Form 4 – Results Summary – Non-Reference Oil - Ethylene Acrylate**

Sample Code:	Lab:
Lab Oil Code:	

Elastomer Type:		Elastomer Batch Code:				
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:				
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

**D 7216 – Engine Oil Elastomer Compatibility (Annex A2 – Light-Duty Elastomers)  
Form 5 – Results Summary – Reference Oil**

Lab Oil Code:	Lab:
---------------	------

CMIR:			TMC Industry Oil Code:			
Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:				
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

CMIR:			TMC Industry Oil Code:			
Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:				
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

CMIR:			TMC Industry Oil Code:			
Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:				
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

CMIR:			TMC Industry Oil Code:			
Elastomer Type:			Elastomer Batch Code:			
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:				
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

**D 7216 – Engine Oil Elastomer Compatibility (Annex A2 – Light-Duty Elastomers)  
Form 6 – Results Summary – Reference Oil - Ethylene Acrylate**

Lab Oil Code:	Lab:
---------------	------

CMIR:		TMC Industry Oil Code:				
Elastomer Type:		Elastomer Batch Code:				
SOT Time:		EOT Time:		Bath Number:		
SOT Date:		EOT Date:				
Test Temperature, °C	Test Duration, Hours	Volume Change, %	Hardness Change, Points	Tensile Strength Change, %		
Average						
Standard Deviation						

