A2. Report Forms D 5968 Evaluation of the Corrosiveness of Diesel Engine Oil

Version Conducted For

	V = Valid	1						
	I = Inval	id						
	N = Results cannot be interpreted as representative of oil performance. (Non-Reference Oil)							
			lumber					
	L	Bath Run:		Bath Position:				
	End of Test Date:			End of Test Tin	ie:			
	Oil Code ^A :							
	Formulation/Stand Code:	•						
	Alternate Codes:							
A	remarks included in the I		nanes a	issociated with t	nis test.			
					Testing Laboratory			
					Signature			
					Typed Name			
					Title			

Fig. A2.1 Final Report Cover Sheet

D 5968 Evaluation of the Corrosiveness of Diesel Engine Oil Summary of Results

Lab:	Bath:	Bath Run:	Bath Position:	
EOT Date:		EOT Time:		
Oil Code:			Start Date:	
Formulatio	n/Stand Code:			
Test Lengtl	n:			

Test Oil Identification			
Reference Oil Test	Non-Reference Oil Test		
CMIR Code:	Oil Code:		
TMC Oil No.:	Formulation/Stand Code:		
SAE Viscosity:	SAE Viscosity:		
Lab Oil Code:	Lab Oil Code:		

	Change in Metal Concentration (mg/kg)									
	Reference Oil Test			Non-Reference Oil Test						
	Average			Average						
Metal Type	New Oil (mg/kg	Used Oil (mg/k g)	Δ (mg/k g)	Correction Factor	Corrected Average	New Oil (mg/kg	Used Oil (mg/kg	Δ (mg/k g)	Correction Factor	Corrected Average
Copper										
Lead		·	·							
Tin										

ASTM D-130 Copper Strip Rating			
Reference Oil Test	Non-Reference Oil Test		

Metal Type	Reference Oil Test S	Specimen	Non-Reference Oil Test Specimen	
wictai Type	Batch ID Number	Batch Code	Batch I.D. Number	
Copper (Cu)				
Lead (Pb)				
Tin (Sn)				
Bronze				

Fig. A2.2 Summary of Results

D 5968 Evaluation of the Corrosiveness of Diesel Engine Oil Detailed Test Results

Lab:	Bath:	Bath Run:	Bath Position:
EOT Date:		EOT Time:	
Oil Code:			Start Date:
Formulation/Stan	d Code:		

	Metal Concentration: New Oil						
	R	Reference Oil To	est	Non-Reference Oil Test			
Metal Type	Run 1 (mg/k	Run 2 (mg/k	Average (mg/kg	Run 1 (mg/k	Run 2 (mg/k	Average (mg/kg	
Copper (Cu)	g)	g)	,	<u>g)</u>	g)	,	
Lead (Pb)							
Tin (Sn)							
Internal Std.							

		Metal (Concentration: U	U sed Oil		
	F	Reference Oil Te	est	Non-Reference Oil Test		
Metal Type	Run 1 (mg/k g)	Run 2 (mg/k g)	Average (mg/kg)	Run 1 (mg/k g)	Run 2 (mg/k g)	Average (mg/kg)
Copper (Cu)						
Lead (Pb)						
Tin (Sn)						
Internal Std.						

	Weight Change of Metal Specimens: A					
	Reference Oil Test	Non-Reference Oil Test				
Motal Tyme	Weight Change (mg/cm²)	Weight Change (mg/am 2)				
Metal Type	Weight Change (mg/cm ²)	Weight Change (mg/cm ²)				
Copper (Cu)						
Lead (Pb)						
Tin (Sn)						
Internal Std.						

A (+ for weight increase, - for weight loss)
Fig. A2.3 Detailed Test Results

D 5968 Evaluation of the Corrosiveness of Diesel Engine Oil Comments

Bath Position:

Bath Run:

Lab:

Bath:

EOT Date:	EOT Time:	
Oil Code:		Start Date:
Formulation/Stand Code:		
Number of Comment Lines		

D 5968 Evaluation of the Corrosiveness of Diesel Engine Oil at 121°C Comments

Lab:	Bath:	Bath Run:	Bath Position:	
EOT Date:		EOT Time:		
Oil Code:		·	Start Date:	
Formulation	on/Stand Code:			
Number of	of Comment Lines			

D 5968 Evaluation of the Corrosiveness of Diesel Engine Oil at 121°C **Comments**

Lab:	Bath:	Bath Run:	Bath Position:
EOT Date:		EOT Time:	
Oil Code:			Start Date:
Formulation/Stand Code:			
Number of	Comment Lines		