ASTM TEST METHOD D5800
EVAPORATION LOSS OF LUBRICATING OILS
BY THE NOACK METHOD

VERSION *D5800 VERSION 20020325 BETA*

PROCEDURE [A] *C*

CONDUCTED FOR

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

C	V = VALID
	I = INVALID

CC	NR = Non Reference Oil Test
	RO = Reference Oil Test

Test Number	
Instrument ID: *CCCCCCCCCCCCCCCCCCCC*	Test Run Number: *CCCCCCCCCC*

Date Completed: *YYYYMMDD*		EOT Time: *HH:MM*	
Oil Code: *CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*			
Alternate Codes:	*CCCCCCCCCCCCCCC*	*CCCCCCCCCCCCCCC*	*CCCCCCCCCCCCCCC*

In my opinion this test *CCCCCCCC* been conducted in a manner in accordance with the D5800 ASTM Test Method and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.

[A]
A = Woods Metal
B = Non-Woods Metal
C = Selby-Noack

SUBMITTED BY: *CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*

Testing Laboratory

Signature Image

Signature

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

Typed Name

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

Title

TEST REPORT COVER

ASTM TEST METHOD D5800
EVAPORATION LOSS OF LUBRICATING OILS
BY THE NOACK METHOD
FORM 2
RESULT SUMMARY

Oil Code:	*CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*
Lab Sample Code:	*CCCCCCCCCCCCCCCCCCCC*

Testing Lab:	*CC*	TMC Reference Oil ID:	*CCCCCC*
Date Completed:	*YYYYMMDD*	Time Completed:	*HH:MM*

Instrument ID:	*CCCCCCCCCCCCCCCCCCCC*		
Test Run No.:	*CCCCCCCCCC*		
Date of Last TMC Calibration:	*CCCCCCCC*	TMC Calibration Expiration Date:	*YYYYMMDD*

Procedure [A] *C*

Equipment	
Manufacturer:	*CCCCCCCCCCCCCCC*
Model:	*CCCCCCCCCCCCCCC*

Operational Parameters	
Test Length, minutes:seconds:	*CCCCCC*
Test Temperature, ˚C:	*S123.1*
Differential Pressure, mm H_2O:	*S12.1*

Daily Quality Control Sample			
Daily QC Sample ID/Batch:			*CCCCCCCCCC*
QC Calibration Date:			*YYYYMMDD*
QC Initial Sample Weight, g:			*S12.12*
QC Final Sample Weight, g:			*S12.12*
QC Sample Evaporation Loss, mass			*S12.1*
Nominal Evaporaton Loss Range, mass %			
Minimum:	*S12.1*	Maximum:	*S12.1*

Test Oil Results	
Initial Sample Weight, g:	*S12.12*
Final Sample Weight, g:	*S12.12*
Sample Evaporation Loss, mass %:	***S12.1***

[A]
A = Woods Metal
B = Non-Woods Metal
C = Selby-Noack

ASTM TEST METHOD D5800
EVAPORATION LOSS OF LUBRICATING OILS
BY THE NOACK METHOD
FORM 3
COMMENT SUMMARY

Oil Code:	*CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC*
Lab Sample Code:	*CCCCCCCCCCCCCCCCCCCC*

Testing Lab:	*CC*	TMC Reference Oil ID:	*CCCCCC*
Date Completed:	*YYYYMMDD*	Time Completed:	*HH:MM*

Instrument ID:	*CCCCCCCCCCCCCCCCCCCC*		
Test Run No.:	*CCCCCCCCCC*		
Date of Last TMC Calibration:	*CCCCCCCC*	TMC Calibration Expiration Date:	*YYYYMMDD*

OUT-OF-LIMIT DATA AND TIME, TEST MODIFICATIONS AND COMMENTS

Number of Comment Lines	*S1*	

*CCCCCCCCCCCCCCCCCCCC