

**ASTM Test Method D 5800
Evaporation Loss Of Lubricating Oils
By The Noack Method**

**Version
Procedure ^A
Conducted For**

	V = Valid
	I = Invalid

	NR = Non-Reference Test Oil
	RO = Reference Oil Result

Test Number	
Instrument ID:	Test Run:

Date Completed:	Time Completed:
Oil Code	
Formulation/Stand Code:	
Alternate Codes:	

<p>In my opinion this test _____ has been conducted in a valid manner in accordance with the D5800 ASTM Test Method and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.</p>
--

A = Woods Metal
B = Non-Woods Metal
C = Selby-Noack

Submitted By: _____
Testing Laboratory

Signature

Typed Name

Title

Test Report Cover

**ASTM Test Method D 5800
Evaporation Loss Of Lubricating Oils
By The Noack Method
Form 2**

Oil Code:
Lab Sample Code:

Testing Lab:	TMC Reference Oil ID:
Date Completed:	Time Completed:

Instrument ID:	
Test Run:	
Date of Last TMC Calibration:	TMC Calibration Expiration Date:

Test Method-Version

Procedure ^A

Equipment	
Manufacturer	
Model	
Firmware Version	

Daily Quality Control Sample	
Daily QC Sample ID/Batch	
QC Calibration Date	
QC Initial Sample Weight, g	
QC Final Sample Weight, g	
QC Sample Evaporation Loss, mass	
Nominal Evaporation Loss Range, mass %	
Minimum	Maximum

Operational Parameters	
Test Length, minutes: seconds	
Test Temperature, °C	
Differential Pressure, mm H2O	

Test Oil Results	
Initial Sample Weight, g	
Final Sample Weight, g	
Sample Evaporation Loss, mass %	

Optional Translation Between Procedures A and B	
Translation to Procedure	
Translation Factor	
Translated Sample Evaporation Loss, mass %	

^A

- A = Woods Metal**
- B = Non-Woods Metal**
- C = Selby-Noack**

Summary of Results

