

**ASTM Test Method D 6082
High Temperature Foaming
Characteristics of Lubricating Oils**

Version D6082 VERSION 20020311

Conducted For

TSTSPON1

TSTSPON2

LABVALID	V = Valid
	I = Invalid

TSTOIL	NR = Non-Reference Test Oil
	RO = Reference Oil Result

Test Number	
Instrument ID: INSTRUID	Test Run: RUNNUM

Date Completed: DTCOMP	Time Completed: EOTTIME		
Oil Code: OILCODE			
Alternate Codes:	ALTCODE1	ALTCODE2	ALTCODE3

In my opinion this test OPVALID **been conducted in a valid manner in accordance with the Test Method D6082 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.**

Submitted By: _____ SUBLAB

Testing Laboratory

_____ SUBSIGIM

Signature

_____ SUBNAME

Typed Name

_____ SUBTITLE

Title

Test Report Cover

**ASTM Test Method D 6082
High Temperature Foaming
Characteristics Of Lubricating Oils
Form 2**

Oil Code: OILCODE
Lab Sample Code: LABOCODE

Testing Lab: LAB	TMC Reference Oil ID: IND
Date Completed: DTCOMP	Time Completed: EOTIME

Instrument ID: INSTRUID	
Test Run: RUNNUM	
Date of Last TMC Calibration: DTLSTCAL	TMC Calibration Expiration Date: DTCALEXP

Operational Parameters			
Make of Foam Bath	MAKEFOAM		
Model of Foam Bath	MODLFOAM		
Type of Bath (Air, Oil)	BATHTYPE	Was the Blending Option used? (Y/N)	BOPTION
Bath Temperature, °C	TSTTEMP	Blender Calibration, rpm	BLENDCAL
Barometric Pressure ^A, mm Hg	BAROPRES	Diffuser Pore Size, µm	DIFPORE
Air Flow, ml/min	AIRFLOW	Diffuser Permeability, ml/min	DIFPERM
Device Used to Measure Air Flow	DEVICEAF		

Test Results	
Foam Tendency: Volume of Static Foam Immediately Before Air Disconnect, ml	FTIBD
Foam Stability: Volume of Static Foam One Minute After Air Disconnect, ml	FS1MAD

^ANot required to report (for information only)

Result Summary

**ASTM Test Method D 6082
High Temperature Foaming
Characteristics Of Lubricating Oils
Form 3**

Comments

Oil Code: OILCODE
Lab Sample Code: LABOCODE

Testing Lab: LAB	TMC Reference Oil ID: IND
Date Completed: DTCOMP	Time Completed: EOTIME

Instrument ID: INSTRUID	
Test Run: RUNNUM	
Date of Last TMC Calibration: DTLSTCAL	TMC Calibration Expiration Date: DTCALEXP

Out-Of-Limit Data And Time, Test Modifications and Comments

Number of Comment Lines	TOTCOM	
OCOMR001		
OCOMR002		
OCOMR003		
OCOMR004		
OCOMR005		
OCOMR006		
OCOMR007		
OCOMR008		
OCOMR009		
OCOMR010		
OCOMR011		
OCOMR012		
OCOMR013		
OCOMR014		
OCOMR015		

Comment Summary

**ASTM Test Method D 6082
High Temperature Foaming
Characteristics Of Lubricating Oils
Form 3A**

Comments

Oil Code: OILCODE
Lab Sample Code: LABOCODE

Testing Lab: LAB	TMC Reference Oil ID: IND
Date Completed: DTCOMP	Time Completed: EOTIME

Instrument ID: INSTRUID	
Test Run: RUNNUM	
Date of Last TMC Calibration: DTLSTCAL	TMC Calibration Expiration Date: DTCALEXP

Out-Of-Limit Data And Time, Test Modifications and Comments

Number of Comment Lines	TOTCOM	
OCOMR016		
OCOMR017		
OCOMR018		
OCOMR019		
OCOMR020		
OCOMR021		
OCOMR022		
OCOMR023		
OCOMR024		
OCOMR025		
OCOMR026		
OCOMR027		
OCOMR028		
OCOMR029		
OCOMR030		

Comment Summary

**ASTM Test Method D 6082
High Temperature Foaming
Characteristics Of Lubricating Oils
Form 3B**

Comments

Oil Code: OILCODE
Lab Sample Code: LABOCODE

Testing Lab: LAB	TMC Reference Oil ID: IND
Date Completed: DTCOMP	Time Completed: EOTTIME

Instrument ID: INSTRUID	
Test Run: RUNNUM	
Date of Last TMC Calibration: DTLSTCAL	TMC Calibration Expiration Date: DTCALEXP

Out-Of-Limit Data And Time, Test Modifications And Comments

Number of Comment Lines	TOTCOM	
OCOMR031		
OCOMR032		
OCOMR033		
OCOMR034		
OCOMR035		
OCOMR036		
OCOMR037		
OCOMR038		
OCOMR039		
OCOMR040		
OCOMR041		
OCOMR042		
OCOMR043		
OCOMR044		
OCOMR045		

Comment Summary