

**ASTM Test Method D 6082
High Temperature Foaming
Characteristics of Lubricating Oils**

Version

Conducted For

	V = Valid
	I = Invalid

	NR = Non-Reference Test Oil
	RO = Reference Oil Result

Test Number	
Instrument ID:	Test Run:

Date Completed:	Time Completed:
Oil Code:	
Alternate Codes:	

In my opinion this test	been conducted in a valid manner in accordance with the Test Method D6082 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.
--------------------------------	--

Submitted By: _____

_____ **Testing Laboratory**

_____ **Signature**

_____ **Typed Name**

_____ **Title**

Test Report Cover

**ASTM Test Method D 6082
High Temperature Foaming
Characteristics Of Lubricating Oils
Form 2**

Oil Code:
Lab Sample Code:

Testing Lab:	TMC Reference Oil ID:
Date Completed:	Time Completed:

Instrument ID:	
Test Run:	
Date of Last TMC Calibration:	TMC Calibration Expiration Date:

Operational Parameters			
Make of Foam Bath			
Model of Foam Bath			
Type of Bath (Air, Oil)		Was the Blending Option used? (Y/N)	
Bath Temperature, °C		Blender Calibration, rpm	
Barometric Pressure ^A, mm Hg		Diffuser Pore Size, µm	
Air Flow, ml/min		Diffuser Permeability, ml/min	
Device Used to Measure Air Flow			

Test Results	
Foam Tendency: Volume of Static Foam Immediately Before Air Disconnect, ml	
Foam Stability: Volume of Static Foam One Minute After Air Disconnect, ml	

^ANot required to report (for information only)

Result Summary

