Report Forms

Test Method D 874 Sulfated Ash from Lubricating Oils and Additives

Version

Conducted For

V = Valid

	I = Invalid			
	NR = Non-Referen	NR = Non-Reference Test Oil RO = Reference Oil Result		
	RO = Reference O			
	Test	Number		
Test Method-Version:		Test Run ID:		
Date Completed:		Estimated Time Completed:		
Oil Code:		·		
Alternate Codes:				
In my opinion this test	been conduc	cted in a valid manner	in accordance with t	he Test
Method D874 and the apremarks included in this r		_	-	m. The
Submitted By:				
			Testing Lal	boratory
			S	ignature
				Ü
			Тур	ed Name
				Title

Test Report Cover

Test Method D 874 Sulfated Ash from Lubricating Oils and Additives

Form 2

Result Summary Sheet

Oil Code:		
Lab Sample Code:		
-		
Testing Lab:	TMC Reference Oil ID:	
Date Completed:	Estimated Time Completed:	
Test Run ID:		
Date of Last TMC Calibration:	TMC Calibration Expiration Date:	
Quality Control Sample	Operational	
OC Sample ID	Tost Mathad Varsian	

Quality Control Sample	Operational	
QC Sample ID	Test Method-Version	
QC Sample Sulfated Ash, mass%	Initial Furnace Heating Time,	
Acceptance Range Min., mass%	(After First Sulfation), min.	
Acceptance Range Max., mass%	Operator ID (coded)	

Test Sample			
Initial Test Sample Weights	Test Sample Sulfated Ash Weights		
Crucible Plus Sample Weight, g	Second-to-Last Gross Weighing, g		
Crucible Tare Weight, g	Final Gross Weighing, g		
Net Sample Weight, g	Final Net Sulfated Ash Weight, g		

Test Sample % Sulfated Ash	
mass%	

Result Summary Sheet

Test Method D 874 Sulfated Ash from Lubricating Oils and Additives

Form 3

Comments

Oil Code:		
Lab Sample Code:		
Testing Lab:	TMC Reference Oil ID:	
Date Completed:	Estimated Time Completed:	
Test Run ID:		
Date of Last TMC Calibration:	TMC Calibration Expiration Date:	
Out-Of-Limit Data and Time, Tes	st Modifications And Comments	
Number of Comment Lines		

Comments