ASTM D 6795 – Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time (Engine Oil Filterability Test) Final Report Cover Sheet

Version Conducted For

V = Valid
I = Invalid

NR = Non-Reference Test Oil
RO = Reference Oil Result

Test Number:			
Date Completed:	Time Completed:		
Oil Code:			
Formulation/Stand Code:			
Alternate Codes:			

In my opinion this test has been conducted in a valid manner in accordance with the Test Method D 6795 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.

Submitted By:

Testing Laboratory

Signature

Typed Name

Title

Final Report Cover Sheet

Engine Oil Filterability Test Form 2

Lab:	TMC Oil Code (Reference Oil Test Only):
Test Number:	Laboratory Oil Code:
End of Test Date:	End of Test Time:
Oil Code:	
Filter Paper Pore Size (µm) :	

Test Oil Results					
Test Run NumberDate Completed	Date	Filter Paper Part/Batch	20 - 25 ml Change in Flowrate (%)		
	Number	Run 1	Run 2	Average	

Reference Oil Test Results (Fill Out for Non-reference Oil Tests Only)							
Test Run Number	Date	Filter Paper	20 - 25 ml Change in Flowrate (%)		TMC	CMID	
Test Kun Number	Completed		Run 1	Run 2	Average	Oil Code	CMIR

Engine Oil Filterability Test Form 3 Comments

Lab:	Test Number:
Oil Code:	
End of Test Date:	End of Test Time:

Number of Comment Lines		

Comments

Engine Oil Filterability Test Form 3A Comments

Lab:	Test Number:
Oil Code:	
End of Test Date:	End of Test Time:

Number of Comment Lines		

Comments

Engine Oil Filterability Test From 3B Comments

Lab:	Test Number:
Oil Code:	
End of Test Date:	End of Test Time:

Number of Comment Lines		

Comments