

**ASTM D 6794 Measuring the Effect on Filterability of Engine Oils After Treatment  
with Various Amounts of Water and a Long (6-h) Heating Time  
(Engine Oil Water Tolerance)  
Final Report Cover Sheet**

Version  
Conducted For

	V = Valid
	I = Invalid

	NR = Non-Reference Test Oil
	RO = Reference Oil Result

Test Number:	
Date Completed:	Time Completed:
Oil Code:	
Formulation/Stand Code:	
Alternate Codes:	

In my opinion this test been conducted in a valid manner in accordance with the Test Method D 6794 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.

Submitted By: \_\_\_\_\_  
Testing Laboratory

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Typed Name

\_\_\_\_\_  
Title

**Engine Oil Water Tolerance Test**  
**Form 2**

Lab:	TMC Oil Code (Reference Oil Test Only):
Test Number:	Laboratory Oil Code:
End of Test Date:	End of Test Time:
Oil Code:	
Filter Paper Pore Size ( $\mu\text{m}$ ) :	

Test Oil Results						
Test Run Number	Date Completed	Filter Paper Part/Batch Number	Water Treat Level (%)	20 - 25 ml Change in Flowrate (%)		
				Run 1	Run 2	Average

Companion Reference Oil Test Results (Fill Out for Non-Reference Oil Tests Only)								
Test Run Number	Date Completed	Filter Paper	Water Treat Level (%)	20 - 25 ml Change in Flowrate (%)			TMC Oil Code	CMIR
				Run 1	Run 2	Average		

Summary of Data

# **Engine Oil Water Tolerance Test**

## **Form 3**

### **Comments**

Lab:	Test Number:
Oil Code:	
End of Test Date:	End of Test Time:

## Comments