

**ASTM D 6794 Measuring the Effect on Filterability of Engine Oils After Treatment  
with Various Amounts of Water and a Long (6-h) Heating Time  
(Engine Oil Water Tolerance)  
Final Report Cover Sheet**

Version  
Conducted For

	V = Valid
	I = Invalid

	NR = Non-Reference Test Oil
	RO = Reference Oil Result

Test Number:			
Date Completed:		Time Completed:	
Oil Code:			
Formulation/Stand Code:			
Alternate Codes:			

<p>In my opinion this test</p>	<p>been conducted in a valid manner in accordance with the Test Method D 6794 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.</p>
--------------------------------	---

Submitted By: \_\_\_\_\_

Testing Laboratory

\_\_\_\_\_

Signature

\_\_\_\_\_

Typed Name

\_\_\_\_\_

Title

**Engine Oil Water Tolerance Test  
Form 2**

Lab:	TMC Oil Code (Reference Oil Test Only):
Test Number:	Laboratory Oil Code:
End of Test Date:	End of Test Time:
Oil Code:	
Filter Paper Pore Size (µm) :	

<b>Test Oil Results</b>						
Test Run Number	Date Completed	Filter Paper Part/Batch Number	Water Treat Level (%)	20 - 25 ml Change in Flowrate (%)		
				Run 1	Run 2	<b>Average</b>

<b>Companion Reference Oil Test Results (Fill Out for Non-Reference Oil Tests Only)</b>								
Test Run Number	Date Completed	Filter Paper	Water Treat Level (%)	20 - 25 ml Change in Flowrate (%)			TMC Oil Code	CMIR
				Run 1	Run 2	<b>Average</b>		

Summary of Data

**Engine Oil Water Tolerance Test  
 Form 3  
 Comments**

Lab:	Test Number:
Oil Code:	
End of Test Date:	End of Test Time:

Number of Comment Lines	