

Test Method D 5662
Oil Seal Compatibility Test

Version

Conducted For

	I = Invalid
	V =Valid

Elastomer Type	Bath Number	Date Completed	EOT Time
Fluoroelastomer			
Polyacrylate			
Nitrile			
	Oilcode		CMIR
Fluoroelastomer			
Polyacrylate			
Nitrile			
Alternate Codes:			

In my opinion this test been conducted in a manner in accordance with the Test Method D 5662 and the appropriate amendments through the information letter system. The remarks included in this report describe the anomalies associated with this test.

Submitted By: _____ **Testing Laboratory**

_____ **Signature**

_____ **Typed Name**

_____ **Title**

Test Method D 5662
Oil Seal Compatibility Test
Form 1

Fluoroelastomer Reference Test Results

Lab	Bath	Start Date	Date Completed	EOT Time	Test Length

Test Oil Temperature-°C		
Average	Minimum	Maximum

Elastomer Batch Identification		
Code	Production Date	Type

Reference Oil	
CMIR:	TMC Oil Code:
Laboratory Oil Code:	Viscosity Grade:

	% Elongation Change	Shore A Hardness Change Points	% Volume Change
Std. Dev.			
Average			

Test Method D 5662
Oil Seal Compatibility Test
Form 2
Fluoroelastomer Non-reference Test Results

Lab	Bath	Start Date	Date Completed	EOT Time	Test Length

Test Oil Temperature-°C		
Average	Minimum	Maximum

Elastomer Batch Identification		
Code	Production Date	Type

Non-reference Oil	
Laboratory Oil Code:	Viscosity Grade:

Pre-test Elastomer Properties (as measured by lab)														From Manufact.
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

Post-test Elastomer Properties (as measured by lab)														
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

		% Elongation Change	Shore A Hardness Change Points	% Volume Change
Std. Dev.				
Average				

Test Method D 5662
Oil Seal Compatibility Test
Form 3
Polyacrylate Reference Test Results

Lab	Bath	Start Date	Date Completed	EOT Time	Test Length

Test Oil Temperature-°C		
Average	Minimum	Maximum

Elastomer Batch Identification		
Code	Production Date	Type

Reference Oil													
CMIR:							TMC Oil Code:						
Laboratory Oil Code:							Viscosity Grade:						

Pre-test Elastomer Properties (as measured by lab)														From Manufact.
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

Post-test Elastomer Properties (as measured by lab)														
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

	% Elongation Change	Shore A Hardness Change Points	% Volume Change
Std. Dev.			
Average			

Test Method D 5662
Oil Seal Compatibility Test
Form 4
Polyacrylate Non-reference Test Results

Lab	Bath	Start Date	Date Completed	EOT Time	Test Length

Test Oil Temperature-°C		
Average	Minimum	Maximum

Elastomer Batch Identification		
Code	Production Date	Type

Non-reference Oil													
Laboratory Oil Code:							Viscosity Grade:						

Pre-test Elastomer Properties (as measured by lab)														From Manufact.
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

Post-test Elastomer Properties (as measured by lab)														
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

		% Elongation Change				Shore A Hardness Change Points				% Volume Change			
Std. Dev.													
Average													

Test Method D 5662
Oil Seal Compatibility Test
Form 5
Nitrile Reference Test Results

Lab	Bath	Start Date	Date Completed	EOT Time	Test Length

Test Oil Temperature-°C		
Average	Minimum	Maximum

Elastomer Batch Identification		
Code	Production Date	Type

Reference Oil	
CMIR:	TMC Oil Code:
Laboratory Oil Code:	Viscosity Grade:

Pre-test Elastomer Properties (as measured by lab)														From Manufact.
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

Post-test Elastomer Properties (as measured by lab)														
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

	% Elongation Change	Shore A Hardness Change Points	% Volume Change
Std. Dev.			
Average			

Test Method D 5662
Oil Seal Compatibility Test
Form 6
Nitrile Non-reference Test Results

Lab	Bath	Start Date	Date Completed	EOT Time	Test Length

Test Oil Temperature-°C		
Average	Minimum	Maximum

Elastomer Batch Identification		
Code	Production Date	Type

Non-reference Oil													
Laboratory Oil Code:							Viscosity Grade:						

Pre-test Elastomer Properties (as measured by lab)														From Manufact.
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

Post-test Elastomer Properties (as measured by lab)														
Specimen	1	2	3	4	5	6	7	8	9	10	11	12	Avg.	Std. Dev.
Elongation (%)														
Hardness (SH)														
Volume (g)														

		% Elongation Change				Shore A Hardness Change Points				% Volume Change			
Std. Dev.													
Average													

Test Method D 5662
Oil Seal Compatibility Test
Form 7
Comments

Lab	Elastomer Type	Bath	Oil Code	CMIR
Fluoroelastomer				
Polyacrylate				
Nitrile				

Out-of-Limit-Data and Time, Test Modifications and Comments

Test Method D 5662
Oil Seal Compatibility Test
Form 8
Operational Validity Summary

Controlled Parameter	Elastomer Material	Allowable % Out	This Test % Out	Actual Time Out min:s
Test Oil Temperature	Fluoroelastomer	1%		
Test Oil Temperature	Polyacrylate	1%		
Test Oil Temperature	Nitrile	1%		