# Report Packet Version No.

Conducted For

V =

Valid; The reference oil/non-reference oil was evaluated in accordance

|       | v = with the test procedu  | ıre.  |          |   |      |  |  |  |
|-------|--|---|----------|---|------|--|--|--|
|       | Invalid: The referen   | Invalid; The reference oil/non-reference oil was not evaluated in |          |   |      |  |  |  |
|       | accordance with the test procedure.  |   |          |   |      |  |  |  |
|       | Results cannot be interpreted as representative of oil performance   |   |          |   |      |  |  |  |
|       | N = (non-reference oil) and shall not be used in determining an average test   |   |          |   |      |  |  |  |
|       | result using multiple  | test criteria.  |          |   |      |  |  |  |
|       | NR = Non Reference Oil Te  | <u>ct</u>   |          |   |      |  |  |  |
|       | RO = Reference Oil Test  | <u> </u>  |          |   |      |  |  |  |
|       | RO – Reference off Test  |   |          |   |      |  |  |  |
|       | Test   | Number  |          |   |      |  |  |  |
| tand: |  | Engine:   |          | Engine Hours:                                 |      |  |  |  |
| nd Of | of Test Date:  | End Of Tes  | st Time: |   |      |  |  |  |
| il Co |  |   |          |   |      |  |  |  |
|       | ılation/Stand Code:  |   |          |   |      |  |  |  |
| ltcod | de1: Altcode2:   |   | Altco    | de3:  |      |  |  |  |
| D 71  | my opinion this test been conducted at 156 and the appropriate amendments through the report describe the anomalies associated with the second conducted at the second conduct | he information  |          | nce with the Test Metho. The remarks included |      |  |  |  |
|       | Submitted By:  |   |          |   |      |  |  |  |
|       |  |   |          | Testing Laborat                               | tory |  |  |  |
|       |  |   |          | Signa   | ture |  |  |  |
|       |  |   |          | Typed Na                                      | ame  |  |  |  |
|       |  |   |          | Г   | itle |  |  |  |

# Table of Contents

| 1.  | Final Report Cover Sheet                       | Form 1  |
|-----|--|---------|
| 2.  | Table of Contents                              | Form 2  |
| 3.  | Summary of Test Method                         | Form 3  |
| 4.  | Test Results Summary                           | Form 4  |
| 5.  | Operational Summary                            | Form 5  |
| 6.  | Oil Analysis Summary                           | Form 6  |
| 7.  | Oil Analysis Summary                           | Form 7  |
| 8.  | Test Fuel Analysis (Last Batch)                | Form 8  |
| 9.  | Characteristics of the Data Acquisition System | Form 9  |
| 10. | Build-up and Hardware Information              | Form 10 |
| 11. | Unscheduled Downtime & Maintenance Summary     | Form 11 |
| 12. | ACC Conformance Statement                      | Form 12 |

# Mack T-11 D 7156 - EGR Engine Oil Test Form 3 Summary of Test Method

The Mack T-11 EGR Engine oil Test is a fuel engine-dynamometer test which evaluates diesel engine oils for performance characteristics including viscosity increase and soot concentrations (loading). This test is a single-phase, steady state test (constant speed and load). The test is 252 hours and is run with retarded fuel injection timing to produce elevated soot levels in the oil.

The test engine is a Mack E-TECH V-MAC III diesel engine with EGR. It is an in-line six-cylinder, four stroke, turbocharged engine. It has electronically controlled fuel injection with six individual electronic pumps.

**Mack T-11 Test Conditions** 

| Parameter                      | Value             |
|--------------------------------|-------------------|
|                                |                   |
| Time, h                        | 252               |
| Injection Timing, BTDC         | Variable          |
| Speed, r/min                   | 1800              |
| Fuel Flow, kg/h                | 53.5              |
| Intake CO <sub>2</sub> , %     | 1.5               |
| Exhaust CO <sub>2</sub> , %    | Record            |
| Inlet Manifold Temp., °C       | 70                |
| Coolant Out Temp., °C          | 66                |
| Fuel In Temp., °C              | 40                |
| Oil Gallery Temp., °C          | 88                |
| Intake Air Temp., °C           | 25                |
| Intake Air Restriction, kPa    | 3.5 - 4.0         |
| Inlet Manifold Pressure, kPa   | Tbd               |
| Exhaust Back Pressure, kPa     | 2.7 - 3.5         |
| Crankcase Pressure, kPa        | 0.25 - 0.75       |
| Power, kW                      | Record            |
| Torque, Nm                     | Record            |
| Pre-Turbine Exhaust Temp., °C  | Record            |
| Tailpipe Exhaust Temp., °C     | Record            |
| Oil Sump Temp., °C             | Record            |
| EGR Pre-Venturi Temp., °C      | Record            |
| Inlet Air Dew Point, °C        | Record            |
| Fuel Pressure, kPa             | Record            |
| Main Gallery Oil Pressure, kPa | Record            |
| Oil Filter Delta P, kPa        | Not to exceed 138 |

#### **Test Results Summary**

| Laboratory: EOT Date:                |                 | <b>EOT Time:</b> |            |          |  |  |  |
|--------------------------------------|-----------------|------------------|------------|----------|--|--|--|
| Test Number:                         |                 |                  |            |          |  |  |  |
| Oil Code:                            |                 |                  |            |          |  |  |  |
| Formulation/Stand Code:              |                 |                  |            |          |  |  |  |
|                                      |                 |                  |            |          |  |  |  |
| Test l                               | Results         |                  |            |          |  |  |  |
| Date Test Started:                   | Start Time      | :                |            |          |  |  |  |
| SAE Viscosity:                       | Test Lengt      | h:               |            |          |  |  |  |
| TMC Oil Code: <sup>A</sup>           | Laboratory      | y Oil Code:      |            |          |  |  |  |
| TGA Soot % at 96 h                   |                 |                  |            |          |  |  |  |
| TGA Soot % at 192 h                  |                 |                  |            |          |  |  |  |
| TGA Soot % at 228 h                  |                 |                  |            |          |  |  |  |
| TGA Soot % at 252 h                  |                 |                  |            |          |  |  |  |
| Centrifugal Oil Filter Mass Gain, g  |                 |                  |            |          |  |  |  |
| Oil Filter Delta P, kPa              |                 |                  |            |          |  |  |  |
| EOT TBN                              |                 |                  |            |          |  |  |  |
| Oil Consumption, g/hr                |                 |                  |            |          |  |  |  |
| Viscosity Increase at 6.0% Soot, cSt |                 |                  |            |          |  |  |  |
| MRV Yield Stress, cP                 |                 |                  |            |          |  |  |  |
|                                      | Soot at 4       | Soot at 12       | Soot at 15 | MDM      |  |  |  |
|                                      | cSt (%)         | cSt (%)          | cSt (%)    | MRV (cP) |  |  |  |
| Original Result                      |                 |                  | , ,        |          |  |  |  |
| Transformed Result                   |                 |                  |            |          |  |  |  |
| <b>Correction Factor</b>             |                 |                  |            |          |  |  |  |
| <b>Corrected Transformed Result</b>  |                 |                  |            |          |  |  |  |
| Severity Adjustment                  |                 |                  |            |          |  |  |  |
| Final Transformed Result             |                 |                  |            |          |  |  |  |
| Final Original Unit Result           |                 |                  |            |          |  |  |  |
| 7 . 0 . 17                           |                 |                  |            |          |  |  |  |
| Last Stand Re                        | ference Resu    | ılts             |            |          |  |  |  |
| Test Number:                         |                 |                  |            |          |  |  |  |
| Oil Code:                            |                 |                  |            |          |  |  |  |
| Test Length:                         | TMC Oil C       |                  |            |          |  |  |  |
| EOT Date:                            | <b>EOT Time</b> | •                |            |          |  |  |  |
| Stand Calibration Expiration Date:   |                 |                  |            |          |  |  |  |
| TGA Soot % at 96 h                   |                 |                  |            |          |  |  |  |
| TGA Soot % at 192h                   |                 |                  |            |          |  |  |  |
| TGA Soot % at 228h                   |                 |                  |            |          |  |  |  |
| TGA Soot % at 252 h                  |                 |                  |            |          |  |  |  |
| Oil Consumption, g/hr                |                 |                  |            |          |  |  |  |
| Viscosity at 6.0% Soot, cSt          |                 |                  |            |          |  |  |  |
|                                      | Soot at 4       | Soot at 12       | Soot at 15 | MDV (aD) |  |  |  |
|                                      | cSt (%)         | cSt (%)          | cSt (%)    | MRV (cP) |  |  |  |

**Final Original Unit Result** 

<sup>&</sup>lt;sup>A</sup> Reference Tests only.

## Mack T-11 **D 7156 - EGR Engine Oil Test** Form 5 **Operational Summary**

| Laboratory:             | EOT Date: | EOT Time: |
|-------------------------|-----------|-----------|
| Test Number:            |           |           |
| Oil Code:               |           |           |
| Formulation/Stand Code: |           |           |

|         |                            |       | QI        | 4                     |                  |         | D         | - C              | Over/Under |
|---------|----------------------------|-------|-----------|-----------------------|------------------|---------|-----------|------------------|------------|
|         | Parameter                  | Units | Threshold | EOT QI A              | Target           | Average | Samples B | BQD <sup>C</sup> | Range D    |
| Š       | Speed                      | r/min | 0.000     |                       | 1800             |         |           |                  |            |
| ter     | Fuel Flow                  | kg/h  | 0.000     |                       | 53.5             |         |           |                  |            |
| me      | Inlet Manifold Temp.       | °C    | 0.000     |                       | 70               |         |           |                  |            |
| ra      | Coolant Out Temp.          | °C    | 0.000     |                       | 66               |         |           |                  |            |
| Pa      | Fuel In Temp.              | °C    | 0.000     |                       | 40               |         |           |                  |            |
| 궁       | Oil Gallery Temp.          | °C    | 0.000     |                       | 88               |         |           |                  |            |
| olle    | Inlet Air Temp.            | °C    | 0.000     |                       | 25               |         |           |                  |            |
| tr      | Inlet Air Restriction      | kPa   |           |                       | 3.5 - 4.0        |         |           |                  |            |
| ,<br>On | Inlet Man. Pressure        | kPa   |           |                       | 140 minimum      |         |           |                  |            |
|         | Exh. Back Pressure         | kPa   |           |                       | 2.7 - 3.5        |         |           |                  |            |
|         | Crankcase Pressure         | kPa   |           |                       | 0.25 - 0.75      |         |           |                  |            |
|         | Intake CO <sub>2</sub>     | %     |           |                       | 1.5 <u>+</u> .05 |         |           |                  |            |
|         | Parameter                  | Units | Typica    | l Values <sup>E</sup> | Avera            | ige     |           |                  |            |
| rs      | Power                      | kW    | T         | BD                    |                  |         |           |                  |            |
| ete     | Torque                     | Nm    | T         | BD                    |                  |         |           |                  |            |
| T I     | Exhaust CO <sub>2</sub>    | %     | T         | BD                    |                  |         |           |                  |            |
| ara     | Pre-Turbine Temp. (F)      | °C    | T         | BD                    |                  |         |           |                  |            |
| Ъ       | Pre-Turbine Temp. (R)      | °C    | T         | BD                    |                  |         |           |                  |            |
| led     | Tailpipe Temp.             | °C    | T         | BD                    |                  |         |           |                  |            |
| lo      | Oil Sump Temp.             | °C    | T         | BD                    |                  |         |           |                  |            |
| l ti    | EGR Pre-Venturi Temp.      | °C    | T         | BD                    |                  |         |           |                  |            |
| ၂ ၁     | Blowby                     | L/min | T         | BD                    |                  |         |           |                  |            |
| ou      | <b>Inlet Air Dew Point</b> | °C    | T         | BD                    |                  |         |           |                  |            |
| Ž       | <b>Fuel Pressure</b>       | kPa   | T         | BD                    |                  |         |           |                  |            |
|         | Main Gallery Oil Press.    | kPa   | Т         | BD                    |                  |         |           |                  |            |

A QI values above the threshold are acceptable by the Mack Surveillance Panel. QI values below the threshold may not be considered acceptable based on an engineering review. Refer to Annex A3

B Total number of data points taken. Minimum acceptable value is 2520 C Number of Bad Quality Data points not used in the calculation of the statistical measures.

D Number of points clipped by over/under range limits. E Typical values determined from reference oil test database

# Mack T-11 D 7156 - EGR Engine Oil Test Form 6 Oil Analysis Summary

| Laboratory:             | <b>EOT Date:</b> | <b>EOT Time:</b> |  |  |  |
|-------------------------|------------------|------------------|--|--|--|
| Test Number:            |                  |                  |  |  |  |
| Oil Code:               |                  |                  |  |  |  |
| Formulation/Stand Code: |                  |                  |  |  |  |

| Hours | Soot<br>(Wt. %)<br>D 5967<br>Annex 4 | Viscosity<br>at 100°C<br>(cSt)<br>D 5967<br>Annex A3 | Viscosity<br>Increase<br>(cSt) | TBN<br>D 4739 | TAN<br>D 664 | Integrated<br>IR<br>Oxidation |
|-------|--------------------------------------|--|--------------------------------|---------------|--------------|-------------------------------|
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |
|       |                                      |  |                                |               |              |                               |

| D 6278 or D 7109 30-Pass     | D 7109 90-Pass               | D 6896                      |
|------------------------------|------------------------------|-----------------------------|
| Shear Viscosity (cSt) at 0 h | Shear Viscosity (cSt) at 0 h | MRV Viscosity (cP) at 180 h |
|                              |                              |                             |
|                              |                              |                             |

# Mack T-11 D 7156 - EGR Engine Oil Test Form 7 Oil Analysis Summary

| Laboratory:             | <b>EOT Date:</b> | <b>EOT Time:</b> |
|-------------------------|------------------|------------------|
| Test Number:            |                  |                  |
| Oil Code:               |                  |                  |
| Formulation/Stand Code: |                  |                  |

| Hours | Fuel<br>Dilution |    | Metal Elements (ppm) D 5185 |    |    |    |    |    |    |  |
|-------|------------------|----|-----------------------------|----|----|----|----|----|----|--|
|       | D 3524           | Fe | Pb                          | Cu | Cr | Al | Si | Sn | Na |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       | _                |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |
|       |                  |    |                             |    |    |    |    |    |    |  |

# **Test Fuel Analysis (Last Batch)**

| Laboratory:      | <b>EOT Date:</b> | <b>EOT Time:</b>          |  |
|------------------|------------------|---------------------------|--|
| Test Number:     |                  |                           |  |
| Oil Code:        |                  |                           |  |
| Formulation/Stan | d Code:          |                           |  |
| Supplier:        |                  | <b>Batch Identifiers:</b> |  |

| Measurement                    | Specs. Analysis |     | lysis | Test Method     |
|--------------------------------|-----------------|-----|-------|-----------------|
|                                |                 | NEW | EOT   |                 |
| Total Sulfur, % Weight         | 0.04 - 0.05     |     |       | D 2622          |
| Gravity, API                   | 34.5 – 36.5     |     |       | D 287 or D 4052 |
| <b>Hydrocarbon Composition</b> |                 |     |       |                 |
| Aromatics % Vol.               | 28 - 33         |     |       | D 1319          |
| Olefin                         | Report          |     |       | D 1319          |
| Cetane Index                   | Report          |     |       | D 976 & D 4737  |
| Cetane No.                     | 42 – 48         |     |       | D 613           |
| Copper Strip Corrosion         | 1 Maximum       |     |       | D 130           |
| Flash Point, °C                | 54 Minimum      |     |       | D 93            |
| Pour Point, °C                 | -18 Maximum     |     |       | D 97            |
| Carbon Residue on 10%          | 0.35 Maximum    |     |       | D 524           |
| Residuum, %                    |                 |     |       | (10% Bottoms)   |
| Water & Sediment, % Vol.       | 0.05 Maximum    |     |       | D 2709          |
| Viscosity, cSt @ 40°C          | 2.4 - 5.0       |     |       | D 445           |
| <b>Total Acid Number</b>       | 0.05 Maximum    |     |       | D 664           |
| Strong Acid Number             | 0.00 Maximum    |     |       | D 664           |
| <b>Accelerated Stability</b>   | tbd             |     |       | D 2274          |
| Distillation, °C               |                 |     |       |                 |
| IBP                            | Report          |     |       | D 86            |
| 10%                            | Report          |     |       | D 86            |
| 50%                            | Report          |     |       | D 86            |
| 90%                            | 282 - 338       |     |       | D 86            |
| EP                             | Report          |     |       | D 86            |

**Characteristics of the Data Acquisition System** 

| Laboratory:           | EOT Date: | EOT Time: |
|-----------------------|-----------|-----------|
| Test Number:          |           |           |
| Oil Code:             |           |           |
| Formulation/Stand Cod | le:       |           |

|                   | Sensing | Calibration | Record     | Observation | Record     | Log       | System   |
|-------------------|---------|-------------|------------|-------------|------------|-----------|----------|
| Parameter         | Device  | Frequency   | Device     | Frequency   | Frequency  | Frequency | Response |
| (1)               | (2)     | (3)         | <b>(4)</b> | (5)         | <b>(6)</b> | (7)       | (8)      |
|                   |         |             | Temper     | atures      |            |           |          |
| Oil @ Filt.       |         |             |            |             |            |           |          |
| Fuel In.          |         |             |            |             |            |           |          |
| Intake Air        |         |             |            |             |            |           |          |
| Intake Man.       |         |             |            |             |            |           |          |
| Pre-Turb.         |         |             |            |             |            |           |          |
| Cool. Out         |         |             |            |             |            |           |          |
|                   |         |             | Oth        | ier         |            |           |          |
| <b>Fuel Flow</b>  |         |             |            |             |            |           |          |
| <b>Engine RPM</b> |         |             |            |             |            |           |          |
| Load              |         |             |            |             |            |           |          |
| Inlet Restr.      |         |             |            |             |            |           |          |
| Exh. Press.       |         |             |            |             |            |           |          |
| Oil Gal. Press.   |         |             |            |             | · ·        |           |          |

#### **LEGEND:**

- (1) Operating Parameter
- (2) The type of device used to measure temperature, pressure or flow
- (3) Frequency at which the measurement system is calibrated
- (4) The type of device where data is recorded
  - **LG** Handlog Sheet
  - DL Automatic Data Logger
  - **SC Strip Chart Recorder**
  - C/M Computer, Using Manual Data Entry
  - C/D Computer, Using Direct I/O Entry
- (5) Data are observed but only if recorded off spec.
- (6) Data are recorded but are not retained at EOT
- (7) Data are logged as permanent record, note specify if:
  - SS Snapshot Taken at Specified Frequency
  - AG/X Average of X Data Points at Specified Frequency
- (8) Time for the output to reach 63.2% of final value for step change at input

# **Build-up and Hardware Information**

| Laboratory:         | <b>EOT Date:</b> | <b>EOT Time:</b> |  |  |  |  |
|---------------------|------------------|------------------|--|--|--|--|
| <b>Test Number:</b> |                  |                  |  |  |  |  |
| Oil Code:           |                  |                  |  |  |  |  |
| Formulation/Stand C | Code:            |                  |  |  |  |  |

**Injection Timing** 

| Injection Timing |                      |  |  |  |  |
|------------------|----------------------|--|--|--|--|
| Timing Hours     | Timing (Deg)         |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  |                      |  |  |  |  |
|                  | Total Timing Changes |  |  |  |  |

## Hardware

| Part                  | Part Number | Serial Number |
|-----------------------|-------------|---------------|
| Primary Turbocharger  |             |               |
| Secondary Charger     |             |               |
| Cylinder Head (front) |             |               |
| Cylinder Head (rear)  |             |               |
| Pistons               |             |               |
| Injection Nozzles     |             |               |
| Rod Bearings          |             |               |
| Liners                |             |               |
| Ring Set              |             |               |

| Cylinder Kit Location | CPD ID Number |
|-----------------------|---------------|
| Cylinder 1            |               |
| Cylinder 2            |               |
| Cylinder 3            |               |
| Cylinder 4            |               |
| Cylinder 5            |               |
| Cylinder 6            |               |

# **Unscheduled Downtime and Maintenance Summary**

| Laborator               | ry:                | EOT Date | EOT Time:             |  |  |  |  |
|-------------------------|--------------------|----------|-----------------------|--|--|--|--|
| Test Num                | Test Number:       |          |                       |  |  |  |  |
| Oil Code:               |                    |          |                       |  |  |  |  |
| Formulation/Stand Code: |                    |          |                       |  |  |  |  |
| ,                       |                    |          |                       |  |  |  |  |
| Number o                | Number of Downtime |          |                       |  |  |  |  |
| Occurren                |                    |          |                       |  |  |  |  |
| Test                    |                    |          |                       |  |  |  |  |
| Hours                   | Date               | Downtime | Reasons               |  |  |  |  |
| 110013                  | Date               | Downtime | ixcasons              |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          | <b>Total Downtime</b> |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
| Oth                     | er Comme           | ents     |                       |  |  |  |  |
| Number o                |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |

# **Unscheduled Downtime and Maintenance Summary**

| Laborator               | ry:                | EOT Date | EOT Time:             |  |  |  |  |
|-------------------------|--------------------|----------|-----------------------|--|--|--|--|
| Test Num                | Test Number:       |          |                       |  |  |  |  |
| Oil Code:               |                    |          |                       |  |  |  |  |
| Formulation/Stand Code: |                    |          |                       |  |  |  |  |
| ,                       |                    |          |                       |  |  |  |  |
| Number o                | Number of Downtime |          |                       |  |  |  |  |
| Occurren                |                    |          |                       |  |  |  |  |
| Test                    |                    |          |                       |  |  |  |  |
| Hours                   | Date               | Downtime | Reasons               |  |  |  |  |
| 110013                  | Date               | Downtime | ixcasons              |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          | <b>Total Downtime</b> |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
| Oth                     | er Comme           | ents     |                       |  |  |  |  |
| Number o                |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |
|                         |                    |          |                       |  |  |  |  |

# **Unscheduled Downtime and Maintenance Summary**

| Laborato  | ry:                     | EOT Date: | EOT Time:             |  |  |  |  |
|-----------|-------------------------|-----------|-----------------------|--|--|--|--|
| Test Num  | Test Number:            |           |                       |  |  |  |  |
| Oil Code: |                         |           |                       |  |  |  |  |
| Formulat  | Formulation/Stand Code: |           |                       |  |  |  |  |
| •         |                         |           |                       |  |  |  |  |
| Number o  | Number of Downtime      |           |                       |  |  |  |  |
| Occurren  |                         |           |                       |  |  |  |  |
| Test      |                         |           |                       |  |  |  |  |
| Hours     | Date                    | Downtime  | Reasons               |  |  |  |  |
| Hours     | Dute                    | Downence  | 1000015               |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           | <b>Total Downtime</b> |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           | er Commo                |           |                       |  |  |  |  |
| Number o  | of Commer               | nt Lines  |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |
|           |                         |           |                       |  |  |  |  |

# American Chemistry Council Code of Practice Test Laboratory Conformance Statement

| Test La                  | aboratory  |   |  |                  |                     |  |
|--------------------------|--|---|--|------------------|---------------------|--|
| Test Sp                  |  |   |  |                  |                     |  |
|                          | lation / Stand Code  |   |  |                  |                     |  |
| Test Number              |  |   | T  |                  |                     |  |
| Start D                  | ate  | Start Time                                    |  | Time Zone        |                     |  |
|                          |  | Γ   | <b>Declarations</b>  |                  |                     |  |
| No. 1                    | All requirements of in the conduct of this   |   | Practice for which the test*   | laboratory is re | esponsible were met |  |
| No. 2                    | operational validity other), including all   | requirements of th                            | full duration following all<br>the latest version of the app<br>the organization responsible | plicable test pi | rocedure (ASTM or   |  |
|                          |  | requirements that o                           | "No", does the test engine courred to be beyond the co                                       |                  |                     |  |
| No. 3                    | A deviation occurred for one of the test parameters identified by the organization responsible for the test as being a special case. Yes* No (This currently applies only to specific deviations identified in the ASTM Information Letter System) |   |  |                  |                     |  |
|                          |  | Check the A                                   | ppropriate Conclusion  |                  |                     |  |
|                          | Test Accept  | tance Criteria calcu                          |  |                  | _                   |  |
|                          | _  | al review of this tes<br>est Acceptance Crite | t indicates that the results seria calculations.   | hould not be in  | icluded in the      |  |
| Note:                    | Supporting comments  | are required for al                           | l responses identified with  | an asterisk.     |                     |  |
|                          |  |   | Comments   |                  |                     |  |
|                          |  |   |  |                  |                     |  |
|                          |  |   |  |                  |                     |  |
|                          |  |   |  |                  |                     |  |
|                          |  |   |  |                  |                     |  |
|                          |  |   |  |                  |                     |  |
|                          |  |   |  |                  |                     |  |
| Sig                      | gnature  |   | Da   | ate              |                     |  |
| $\overline{\mathrm{Tv}}$ | rped Name  |   | <br>Tit  | tle              |                     |  |