



Test Monitoring Center

@ Carnegie Mellon University
6555 Penn Avenue, Pittsburgh, PA 15206, USA

<http://astmtmc.cmu.edu>
412-365-1000

MEMORANDUM: 14-015

DATE: May 23, 2014

TO: Mike Birke,
Chairman, Engine Oil Elastomer Compatibility Surveillance Panel

FROM: Michael T. Kasimirsky *Michael T. Kasimirsky*

SUBJECT: EOEC Testing from October 1, 2013 through March 31, 2014

A total of 224 EOEC tests were reported from 4 labs to the Test Monitoring Center during the period from October 1, 2013 through March 31, 2014.

Please find attached a summary of testing activity this period.

MTK/mtk/mem14-015.mtk.doc

cc: Frank Farber

Jeff Clark


EOEC Surveillance Panel

<ftp://ftp.astmtmc.cmu.edu/docs/bench/eoec/semiannualreports/eoec-04-2014.pdf>

Distribution: email

EOEC (D 7216)


NUMBER OF FLUOROELASTOMER TESTS
REPORTED BY LAB AND REPORT PERIOD



13:17:31 23MAY2014

EOEC (D 7216)


NUMBER OF NITRILE TESTS REPORTED BY LAB AND REPORT PERIOD



13:17:31 23MAY2014

EOEC (D 7216)


NUMBER OF POLYACRYLATE TESTS REPORTED BY LAB AND REPORT PERIOD



13:17:31 23MAY2014

EOEC (D 7216)


NUMBER OF POLYACRYLATE TESTS REPORTED BY LAB AND REPORT PERIOD



13:17:31 23MAY2014

EOEC (D 7216)

NUMBER OF VAMAC TESTS REPORTED BY LAB AND REPORT PERIOD



13:17:31 23MAY2014


EOEC (D 7216)

Test Distribution by Oil and Validity

		Fluoroelastomer	Nitrile	Polyacrylate	Silicone	Vamac	This Period	Last Period
Accepted for Calibration	AC	47	44	48	40	44	223	230
Rejected	OC	0	0	0	0	0	0	2
Information Run	NI	0	0	0	0	0	0	0
Operationally Invalid (lab)	LC	0	0	0	1	0	1	0
Operationally Invalid (lab/TMC)	RC	0	0	0	0	0	0	0
Aborted Calibration	XC	0	0	0	0	0	0	9
Total		47	44	48	41	44	224	241

EOEC (D 7216)

OPERATIONALLY VALID TESTS
MEETING ACCEPTANCE CRITERIA



13:17:31 23MAY2014

EOEC (D 7216)

LOST TESTS PER START BY LAB AND ELASTOMER TYPE

Lab	Fluoroelastomer			Nitrile			Polyacrylate			Silicone			Vamac			Total		
	Lost	Starts	%	Lost	Starts	%	Lost	Starts	%	Lost	Starts	%	Lost	Starts	%	Lost	Starts	%
A	0	16	0	0	15	0	0	15	0	0	12	0	0	16	0	0	74	0
B	0	11	0	0	10	0	0	10	0	0	11	0	0	10	0	0	52	0
G	0	13	0	0	11	0	0	17	0	0	11	0	0	12	0	0	64	0
I	0	7	0	0	8	0	0	6	0	1	7	14	0	6	0	1	34	3
Total	0	47	0	0	44	0	0	48	0	1	41	2	0	44	0	1	224	0.4

EOEC (D 7216)

CAUSES FOR LOST TESTS

Lab	Cause	Elastomer					Validity			Loss Rate		
		Fluoroelastomer	Nitrile	Polyacrylate	Silicone	VAMAC	LC	RC	XC	Lost	Starts	%
I	Error in Test Operations				●		●			1	34	3
	Lost	0	0	0	1	0	1	0	0			
	Starts	47	44	48	41	44	224	224	224			
	%	0	0	0	2	0	0.4	0	0			

Lost tests are calibration attempts that were either aborted or operationally invalid

EOEC (D 7216)

Average Δ /s by Lab						
Elastomer	Lab	n	VOLCYI	HARDYI	TENSYI	ELONYI
Fluoroelastomer	A	16	-0.101	0.318	-0.483	-1.187
	B	11	0.123	-0.302	-0.259	-0.725
	G	13	-0.390	-0.696	0.288	-0.613
	I	7	1.351	0.123	0.074	-0.328
	Industry	47	0.088	-0.136	-0.134	-0.792
Nitrile	A	15	1.567	1.316	-0.439	-0.559
	B	10	1.799	0.808	-0.270	-0.274
	G	11	1.114	1.111	-1.324	-1.002
	I	8	1.496	1.458	-0.033	-0.371
	Industry	44	1.494	1.175	-0.548	-0.570
Polyacrylate	A	15	0.808	0.024	-0.537	0.333
	B	10	1.654	-0.550	-0.456	0.834
	G	17	0.721	1.427	-0.182	1.034
	I	6	1.836	0.561	-0.876	0.351
	Industry	48	1.082	0.469	-0.437	0.688
Silicone	A	12	-0.496	0.160	0.187	0.839
	B	11	0.533	0.305	-0.549	1.060
	G	11	1.357	1.138	-0.626	0.495
	I	6	-0.062	0.368	-1.421	0.065
	Industry	40	0.362	0.500	-0.480	0.689
VAMAC	A	16	-1.547	-1.505	0.189	0.054
	B	10	-0.496	-1.453	-0.258	0.434
	G	12	-0.361	-0.102	0.170	-0.241
	I	6	-0.252	-1.067	-0.729	-1.384
	Industry	44	-0.808	-1.051	-0.043	-0.136

Individual test results can be viewed at the links shown in the following table:

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

EOEC (D 7216)


Links to Individual Test Result Data

Elastomer Type	Web Link to Data
Fluoroelastomer	ftp://ftp.astmtmc.cmu.edu/refdata/bench/eoecf/data/
Nitrile	ftp://ftp.astmtmc.cmu.edu/refdata/bench/eoecn/data/
Polyacrylate	ftp://ftp.astmtmc.cmu.edu/refdata/bench/eoecp/data/
Silicone	ftp://ftp.astmtmc.cmu.edu/refdata/bench/eoecs/data/
VAMAC	ftp://ftp.astmtmc.cmu.edu/refdata/bench/eoecv/data/

EOEC (D 7216)

FLUOROELASTOMER TEST PRECISION

POOLED STANDARD DEVIATION BY PERIOD




13:17:31 23MAY2014

EOEC (D 7216)

NITRILE TEST PRECISION

POOLED STANDARD DEVIATION BY PERIOD



13:17:31 23MAY2014

Test Monitoring Center

<http://astmtmc.cmu.edu>




A Program of ASTM International

EOEC (D 7216)

POLYACRYLATE TEST PRECISION

POOLED STANDARD DEVIATION BY PERIOD




13:17:31 23MAY2014

EOEC (D 7216)

SILICONE TEST PRECISION

POOLED STANDARD DEVIATION BY PERIOD




13:17:31 23MAY2014

EOEC (D 7216)

VAMAC TEST PRECISION

POOLED STANDARD DEVIATION BY PERIOD



13:17:31 23MAY2014

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

EOEC (D 7216)

SUMMARY OF SEVERITY & PRECISION

Summary of Severity as Measured by LTMS Control Charting				
Elastomer	VOLC	HARD	TENS	ELON
Fluoroelastomer	Within limits	Within limits	Within limits	Mild
Nitrile	Severe	Severe	Within limits	Within limits
Polyacrylate	Severe	Within limits	Within limits	Severe
Silicone	Within limits	Within limits	Within limits	Severe
VAMAC	Mild	Mild	Within limits	Within limits

EOEC (D 7216)

SUMMARY OF SEVERITY & PRECISION (continued)

Summary of Precision as Measured by LTMS Control Charting				
Elastomer	VOLC	HARD	TENS	ELON
Fluoroelastomer	Within limits	Within limits	Within limits	Within limits
Nitrile	Within limits	Within limits	Within limits	Within limits
Polyacrylate	Within limits	Within limits	Within limits	Warning
Silicone	Warning	Within limits	Within limits	Warning
VAMAC	Within limits	Within limits	Within limits	Within limits


Industry control charts follow.

EOEC (D 7216)

EOEC – FLUOROELASTOMER INDUSTRY OPERATIONALLY VALID DATA



FLUOROELASTOMER VOLUME CHANGE AVG.




EOEC (D 7216)

EOEC – NITRILE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE NITRILE VOLUME CHANGE AVERAGE



23MAY14:10:26




EOEC (D 7216)

EOEC – POLYACRYLATE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE POLYACRYLATE VOLUME CHANGE AVERAGE




23MAY14:10:29

EOEC (D 7216)

EOEC – SILICONE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE SILICON VOLUME CHANGE AVERAGE






EOEC (D 7216)

EOEC – VAMAC INDUSTRY OPERATIONALLY VALID DATA



REFERENCE VAMAC G VOLUME CHANGE AVERAGE




EOEC (D 7216)

EOEC – FLUOROELASTOMER INDUSTRY OPERATIONALLY VALID DATA



FLUOROELASTOMER POINTS HARDNESS CHANGE




EOEC (D 7216)

EOEC – NITRILE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE NITRILE POINTS HARDNESS CHANGE AVERAGE




23MAY14:10:26

EOEC (D 7216)

EOEC – POLYACRYLATE INDUSTRY OPERATIONALLY VALID DATA




REFERENCE POLYACRYLATE POINTS HARDNESS CHANGE AVER



EOEC (D 7216)

EOEC – SILICONE INDUSTRY OPERATIONALLY VALID DATA

REFERENCE SILICON POINTS HARDNESS CHANGE AVERAGE






EOEC (D 7216)

EOEC – VAMAC INDUSTRY OPERATIONALLY VALID DATA



REFERENCE VAMAC G POINTS HARDNESS CHANGE AVERAGE






EOEC (D 7216)

EOEC – FLUOROELASTOMER INDUSTRY OPERATIONALLY VALID DATA



FLUOROELASTOMER TENSILE STRENGTH CHANGE



23MAY14: 13:14




EOEC (D 7216)

EOEC – NITRILE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE NITRILE TENSILE STRENGTH CHANGE AVERAGE




EOEC (D 7216)

EOEC – POLYACRYLATE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE POLYACRYLATE TENSILE STRENGTH CHANGE AVE




23MAY14:10:29

EOEC (D 7216)

EOEC – SILICONE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE SILICONE TENSILE STRENGTH CHANGE AVERAGE




EOEC (D 7216)

EOEC – VAMAC INDUSTRY OPERATIONALLY VALID DATA



REFERENCE VAMAC G TENSILE STRENGTH CHANGE AVERAGE






23MAY14:13:13

EOEC (D 7216)

EOEC – FLUOROELASTOMER INDUSTRY OPERATIONALLY VALID DATA



FLUOROELASTOMER ELONGATION CHANGE AVG.



23MAY14: 13:14




EOEC (D 7216)

EOEC – NITRILE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE NITRILE ELONGATION CHANGE AVERAGE




EOEC (D 7216)

EOEC – POLYACRYLATE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE POLYACRYLATE ELONGATION CHANGE AVERAGE




EOEC (D 7216)

EOEC – SILICONE INDUSTRY OPERATIONALLY VALID DATA



REFERENCE SILICON ELONGATION CHANGE AVERAGE




EOEC (D 7216)

EOEC – VAMAC INDUSTRY OPERATIONALLY VALID DATA



REFERENCE VAMAC G ELONGATION CHANGE AVERAGE



23MAY14:13:13

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

EOEC (D 7216)

INFORMATION LETTERS

No Information Letters were issued this period.

EOEC (D 7216)

STATUS OF REFERENCE OIL SUPPLY

Oil	Samples @ Labs	@ TMC	
		Samples (750 mL)	Gallons
1006-1	275	4047	802
Total	275	4047	802