



A Program of ASTM International

Test Monitoring Center

<http://astmtmc.cmu.edu>

ASTM Reference Testing Semi-Annual Report EOFT

Fall 2019

EOFT Test Activity*

Test Status	Validity Code	Number of Tests
Acceptable Calibration Test	AC	160
Failed Calibration Test	OC	2
Total		162

*April 1, 2019 – September 30, 2019

Test Monitoring Center

<http://astmtmc.cmu.edu>



A Program of ASTM International

EOFT Failed Tests

Failed Parameter	Number of Tests
Mild Change in Flowrate	2
Total	2

EOFT Lost Tests*

Status	#
No lost tests.	0


*Invalid and aborted calibration tests

EOFT Test Severity

- ▶ Change in flowrate is trending mild


20 -25 ML CHANGE IN FLOWRATE AVERAGE (%)

CUSUM Severity Analysis



EOFT Precision Estimates

CIFA



Information Letters*

Test	Date	IL	Topic
			No new information letters this period.

*Available from TMC Website

Reference Oil Inventory Estimated Life

Oil	TMC Inventory (gallons)	Quantity Shipped in last 6 months (gallons)	Lab Inventory (samples)	Estimated Life
79	535.4	66.8	129	5+ years

Miscellaneous Information

- ▶ Available on TMC Website:
 - Oil Assignment Request and Test File Upload
 - Live Reference Test Data Bases
 - Surveillance Panel Meeting Minutes
- ▶ www.astmtmc.cmu.edu



A Program of ASTM International