

LDEOC/EOEC SURVEILLANCE PANEL

A LDEOC/EOEC conference call was held on 7-16-19, at 9 am Central Standard Time. The following esteemed members were on the call:

Joe Franklin - Intertek
Mike Lopez - Intertek
Kimberly Hernandez - Intertek
Mike Birke – SwRI
Matt Bowden – OHT
Doyle Boese – Infineum
Vince Donndelinger - Lubrizol
Maggie Smerdon - Savant
Robert Stockwell – Oronite
Gefei Wu - Valvoline
Becky Grinfield – SwRI
Kirsten Rosen - ISP
Tom Schofield – TMC

The purpose of the call was to establish the round robin protocol for the 1006-2 replacement oil, SL107. The group decided on the following:

- Three runs per elastomer, per test type.

LDEOC

ACM-1 x 3
VMQ-1 x 3
AEM-1 x 3
HNBR-1 x 3
FKM-1 x 3

EOEC

ACM x 3
VMQ-1 x 3
MAC x 3
NBR x 3
FKM x 3

- Each replicate is in a different bath.
- Labs use the batches of material they have in inventory (no standardized batches between labs)
- Each SL107 is run with an official CMIR (1006-2). SL107 will be requested from TMC as an industry information run.
- Round robin due date – 9-16-2019

There was no other business and the call adjourned at 9:12 am.