MEMORANDUM: 03-010

DATE: February 7, 2003

TO: Cummins Surveillance Panel

FROM: Jeff Clark

SUBJECT: M11EGR Reference Test Targets

As approved by the Surveillance Panel, the ten test M11EGR reference test targets for TMC oil 830-2, which went into effect on February 6, 2003, are shown below.

Attached is the target dataset and plots showing the lab distributions of the data. Please note that the standard deviations shown are used for calculating laboratory severity adjustments. Please contact me if you have any questions.

M11EGR Test Targets, TMC Oil 830-2, 10 Tests

| Parameter | Mean | Std. Dev. |
|--|---------|-----------|
| Crosshead Weight Loss (mg) | 12.2 | 3.2 |
| Average Sludge Rating (merits) | 8.40 | 0.36 |
| Filter Plugging Delta P (trans. units) | 11.9121 | 1.0554 |
| Top Ring Weight Loss | 133.9 | 19.7 |

Attachments

JAC/jac/mem03-010.jac.doc

c: FMF

JLZ

ftp://ftp.astmtmc.cmu.edu/docs/diesel/cummins/memos/mem03-010.pdf

Distribution: Email

M11EGR Target Dataset

| <u>Cmir</u> | LTMS Lab | LTMS App | <u>Oil</u> | <u>CWL</u> | <u>FPD</u> | <u>ASR</u> | <u>TRWL</u> |
|-------------|----------|----------|------------|------------|------------|------------|-------------|
| 44673 | Α | 7 | 830-2 | 12.5 | 154 | 8.2 | 134.9 |
| 44674 | Α | 6 | 830-2 | 13.8 | 127 | 7.9 | 121.7 |
| 44671 | G | 1 | 830-2 | 7.4 | 113 | 8.8 | 161.5 |
| 44672 | G | 2 | 830-2 | 10 | 109 | 8.2 | 167 |
| 45360 | D | 1 | 830-2 | 8.3 | 192 | 8.8 | 101.8 |
| 45187 | G | 1 | 830-2 | 12.7 | 133 | 8.7 | 141.8 |
| 45362 | D | 1 | 830-2 | 11.6 | 148 | 8.7 | 117.6 |
| 44675 | Α | 1 | 830-2 | 17.1 | 138 | 8 | 123.2 |
| 44677 | Α | 4 | 830-2 | 16.7 | 173 | 8.2 | 136.1 |
| 45423 | G | 3 | 830-2 | 11.4 | 142 | 8.8 | 133.1 |







