



Oronite

Mack T-12 Industry Correction Factors

Jim Rutherford

08/26/2014






Overview

- First pass 8/15 with 91 tests
- Second pass 8/18 with 89 tests
- Third pass 8/25 with 90 tests

- 90th test used 821-4. For the purposes of this analysis, treated as though it were 821-3.




Uncorrected Liner Wear






Uncorrected Liner Wear






Uncorrected Delta Lead 0 to 300






Uncorrected Delta Lead 250 to 300





Uncorrected Delta Lead 250 to 300






Uncorrected Oil Consumption





Uncorrected Top Ring Weight Loss





Third Pass at Updated Industry Correction Factors

Current					
	TRNDPB	TRNDPB2	TRNOC	ALW_	ATRWL_
Target	3.106	2.125	4.093	16.2	62
Predicted	3.897	3.034	4.466	28.6	73
ICF	0.797	0.700	0.916	0.566	0.849
Calculated					
	TRNDPB	TRNDPB2	TRNOC	ALW_	ATRWL_
Target	3.106	2.125	4.093	16.2	62
Predicted	4.142	3.424	4.499	17.5	99
ICF	0.750	0.621	0.910	0.926	0.629
Calculated (with goofy tests (98459 & 98867) deleted)					
	TRNDPB	TRNDPB2	TRNOC	ALW_	ATRWL_
Target	3.106	2.125	4.093	16.2	62
Predicted	3.803	2.998	4.487	19.1	90
ICF	0.817	0.709	0.912	0.848	0.690
Calculated (with goofy tests (98459 & 98867) deleted) and TK 102361 added					
	TRNDPB	TRNDPB2	TRNOC	ALW_	ATRWL_
Target	3.106	2.125	4.093	16.2	62
Predicted	3.819	2.994	4.482	19.8	86
ICF	0.813	0.710	0.913	0.818	0.719



Mack Merits with previous corrections

