



## Test Monitoring Center

Carnegie Mellon University  
6555 Penn Avenue, Pittsburgh, PA 15206, USA

<http://astmtmc.cmu.edu>  
412-365-1000

Sequence IIIG Information Letter 10-4  
Sequence No. 29  
July 19, 2010

TO: Sequence III Mailing List  
SUBJECT: Measurement of NO<sub>x</sub> made Optional

During the May 12, 2010 Surveillance Panel meeting, the panel agreed to make the measurement of NO<sub>x</sub> non mandatory. Section 11.12 has been revised to make these measurements optional.

The attached changes to Test Method D 7320 are effective July 19, 2010.

Bruce Matthews  
Engine Oil Test Development and Support  
GM Powertrain Materials Engineering

Frank M. Farber  
Administrator  
ASTM Test Monitoring Center

Attachments

c: [ftp://ftp.astmtmc.cmu.edu/docs/gas/sequenceiii/procedure\\_and\\_ils/IIIG/IL10-4.pdf](ftp://ftp.astmtmc.cmu.edu/docs/gas/sequenceiii/procedure_and_ils/IIIG/IL10-4.pdf)

Distribution: Electronic Mail

## **Modifies Test Method D7320-10**

as amended by Information Letters 09-6, 10-1, 10-2 and 10-3

---

11.12 *NO<sub>x</sub> Determinations*—The measurement of NO<sub>x</sub> is not required. If desired, measure NO<sub>x</sub> concentrations using suitable exhaust gas analysis equipment at 19 h, 49 h, and 99 h, and record the data in the report form set.