



**COMMITTEE D02 on PETROLEUM PRODUCTS, LIQUID FUELS, AND LUBRICANTS**

**CHAIRMAN:** Scott Fenwick, National Biodiesel Board, PO Box 104848, Jefferson City, MO 65110-4898, United States (800) 841-5849, Fax: (537) 635-7913, e-mail: [sfenwick@biodiesel.org](mailto:sfenwick@biodiesel.org)

**FIRST VICE CHAIRMAN:** Gregory C Miiller, Tannas Co, 4800 James Savage Rd, Midland, MI 48642, United States (989) 496-2309, Fax: (989) 496-3438, e-mail: [gmiiller@savantgroup.com](mailto:gmiiller@savantgroup.com)

**SECOND VICE CHAIRMAN:** James J Simnick, Bp Global Fuels Technology, 150 Warrenville Rd, BP Technology Center Mail Stop 603-2W, Naperville, IL 60563, United States (331) 702-4071, Fax: (630) 420-4831, e-mail: [simnicji@bp.com](mailto:simnicji@bp.com)

**MEMBERSHIP SECRETARY:** Ian P Mylrea, Stanhope-Seta, 70 Bramley Drive, Hampshire, RG27 8ZF, United Kingdom (193) 2 5-4589, e-mail: [im@stanhope-seta.co.uk](mailto:im@stanhope-seta.co.uk)

**STAFF MANAGER:** Alyson Fick, (610) 832-9710, e-mail: [afick@astm.org](mailto:afick@astm.org)

**LSPI AGING SP CONFERENCE CALL**

Date: 13 Jan 22

**ATTENDANCE**

<b>SWRI</b>	Christine Eickstead, Khaled Rais, Travis Kostan, Pat Lang
<b>INTERTEK</b>	Al Lopez, Jason Soto
<b>LUBRIZOL</b>	George Szappanos
<b>AFTON</b>	Ben Maddock, Christian Porter
<b>ORONITE</b>	Jo Martinez
<b>INFINEUM</b>	Doyle Boese, Andy Ritchie
<b>TMC</b>	Rich Grundza
<b>FORD</b>	Mike Deegan, Rob Zdrodowski
<b>EXXON</b>	Paul Rubas
<b>GM</b>	Khaled Zreik
<b>OHT</b>	J. H. Bowden
<b>SHELL</b>	Jeff Hsu
<b>HALTERMAN</b>	Prasad Tumati
<b>F C A GROUP</b>	Haiying Tang
<b>HCS GROUP</b>	Izabela Gabrel

**MEETING:**

SwRI and IAR hosted the task force team for on-site visits right before the holidays. The aging stands and build-up areas at SwRI and IAR were reviewed by the team. No major issues found.

Updated few items in the procedure before starting matrix.

Reviewed Word document Mike sent out before meeting (attached).

Labs take SOT and EOT samples for aging runs. Additional sample for third party lab to analyze? Christian - Afton has agreed to run standard oil analysis for the following oil samples:

Aging Runs:

Oils A and B, start of test samples, once

Oils A and B, end of test samples for each test

LSPI:

Al – what do we gain here?

Andy – worked last time, should do again

Mike – save EOT (iteration 4) sample of LSPI. Analyze if needed.

Iterations 1, 2, 3 samples run by labs running tests.

Labs all saving EOT drains in case more analysis is needed.

TMC, once QA items are completed, will go ahead and ship oils to labs. Probably mid next week, 3-5 days shipping to SA, week of 24<sup>th</sup> should be at labs.

Tentative matrix start date = 24<sup>th</sup>

8 gallons per test

Clarification – running an aged oil does not invalidate a IX calibration? Correct – this was voted on and agreed to previously. Running an aged oil on a calibrated IX stand does not void that stand's calibration status.

Andy – prefer that reference after aged runs be the same RO as reference before aged

Rich – can do

Timing for LSPI – can pull engine off stand to install matrix engine, then reinstall original engine without voiding cal. status? Purview of IX SP, not this group.

Rich will generate letter ballot and circulate to IX SP group.

---

***Meeting time up, meeting adjourned.***