

MEMORANDUM:	08-002
DATE:	January 30, 2008
TO: FROM:	Charlie Leverett Chairman, Sequence VIB Surveillance Panel Chair Richard Grundza
SUBJECT:	Sequence VIB Reference Oil Test Statistics, Reference Oil 539

The following are the statistics for Sequence VIB reference oil 539, based on 10 test results. These targets are effective for reference oil tests completing on or after January 30, 2008. Targets were calculated using severity adjusted results.

Parameter	Mean	Standard Deviation
FEI1	0.91	0.22
FEI2	0.38	0.21

Figures 1 and 2 plot the results by laboratory and the Shewhart acceptance ranges for FEI1 and FEI2, respectively. Please note that laboratory results in Figures 1 and 2 have not been severity adjusted. Figure 3 summarizes both the uncorrected and corrected results, where appropriate.

Attachments

REG/reg

 c: Sequence VIB Surveillance Panel Sequence VIB Test Engineers John Zalar, TMC Frank Farber, TMC <u>ftp://ftp.astmtmc.cmu.edu/docs/gas/sequencevi/memos/mem08-002.pdf</u>

Distribution: email

Figure 1

Sequence VIB (Reference Oil 539) Test Target Data Set and Shewart Severity Limits




Figure 2

Sequence VIB (Reference Oil 539) Test Target Data Set and Shewart Severity Limits

≈ Fuel Economy Improvement, Stage 2




Figure	3
	-

Lab	SA	FEI1	Corrected	SA	FEI2	Corrected
			FEI1			FEI2
F	0.18	0.88	1.06	-0.15	0.37	0.22
А	0.02	0.86	0.88	0.22	0.54	0.76
D	0.07	0.92	0.99	0.02	0.38	0.4
G	0.14	1.09	1.23	-0.06	0.11	0.05
L	0.21	0.8	1.01	0.04	0.27	0.31
В	-0.08	0.07	-0.01	-0.08	0.11	0.03
С	0.04	1.15	1.19	0.14	0.41	0.55
В	0.27	0.58	0.85	0.22	0.36	0.58
А	0.00	1.23	1.23	0.00	0.53	0.53
В	0.00	0.69	0.69	0.00	0.41	0.41