



A Program of ASTM International

Test Monitoring Center

203 Armstrong Drive, Freeport, PA 16229, USA

www.astmtmc.org
412-365-1000

L-33-1 Information Letter 24-2
Sequence Number 34
September 11, 2024

ASTM consensus has not been obtained on this information letter. An appropriate ASTM ballot will be issued in order to achieve such consensus.

TO: L-33-1 Surveillance Panel
SUBJECT: Correcting terms used in Table A6.1

On August 7, 2024, the L-33-1 surveillance panel voted to change the terms used in table A6.1. The current terms refer to the Break-in and test periods. These terms are more reflective of the L-37-1 test and not the L-33-1 test. It was decided to replace “break-in” with “motoring” and “test” with “storage”. These changes are effective immediately.

Anthony Lange
Chairman
L-33-1 Surveillance Panel

Jeffrey A. Clark
Executive Director
ASTM Test Monitoring Center

Attachment

c: https://www.astmtmc.org/ftp/docs/gear/l331/procedure_and_ils/il24-2_l331.pdf

Distribution: Email

(Revises Test Method D 7038-24, as modified by Information Letter 24-1)

Replace table A6.1 in section A6 with the following:

A6.1 For a test to be operationally valid it shall not exceed the limits on unscheduled downtime and deviation from critical operating parameters.

TABLE A6.1
Critical Operating Parameters Deviation Limits

Parameter	Break-In Motoring	Test Storage
Temperature	5 %	4 %