

Test Monitoring Center

203 Armstrong Drive, Freeport, PA 16229, USA

www.astmtmc.org 412-365-1000

MEMORANDUM: 22-044

DATE: November 30, 2022

TO: Robert Slocum, Chairman, L-37-1 Surveillance Panel

FROM: Dylan Beck Dylan Beck

SUBJECT: L-37-1 Testing from April 1, 2022 through September 30, 2022

Attached is a summary of reference oil testing activity this period.

DJB/djb/mem22-044.djb.doc

cc: Jeff Clark Frank Farber


L-37 Surveillance Panel

https://www.astmtmc.org/ftp/docs/gear/1371/semiannualreports/1371-10-2022.pdf

Distribution: email

| | Reporting Data | Calibrated on 9-30-22 |
|------------------|----------------|-----------------------|
| Number of Labs | 4 | 4 |
| Number of Stands | 4 | 4 |

BY-LAB STAND DISTRIBUTION



15:06:47 28NOV2022



L-37-1 (D8165)
Test Distribution by Oil and Validity


| | | | | | Tot | als |
|--------------------------|----|-------|-------|-------|--------|--------|
| | | 134/ | | | Last | This |
| | | 134-1 | 152-2 | 155-1 | Period | Period |
| Accepted for calibration | AC | 2 | 4 | 1 | 5 | 7 |
| Rejected (Mild) | OC | 0 | 2 | 0 | 0 | 2 |
| Rejected (Severe) | OC | 0 | 1 | 2 | 0 | 3 |
| Rejected (Precision) | OC | 0 | 0 | 0 | 0 | 0 |
| Unacceptable info run | LI | 1 | 0 | 1 | 0 | 2 |
| Acceptable info run | NI | 5 | 5 | 5 | 0 | 15 |
| Aborted info run | ΧI | 3 | 0 | 0 | 0 | 3 |
| Total | | 11 | 12 | 9 | 5 | 32 |



Calibration Attempt Detail

| | Gear Batch | Acceptable | Aborted | Failed | Total |
|------------|------------|------------|---------|--------|-------|
| Lincoated | 01-2020 | 2 | 0 | 1 | 3 |
| Uncoated | 12-2019 | 2 | 0 | 2 | 4 |
| MnP Coated | 04-2014 | 3 | 0 | 2 | 5 |
| | Total | 7 | 0 | 5 | 12 |


CALIBRATION ATTEMPT SUMMARY



15:06:47 28NOV2022



OPERATIONALLY VALID TESTS MEETING ACCEPTANCE CRITERIA



15:06:47 28NOV2022



L-37-1 (D8165) CAUSES FOR LOST TESTS

| | | | Oil | | | Validity | | | Loss Rate | | | |
|-----|-----------------------|--------|-------|-------|-------|----------|----|----|-----------|------|--------|-----|
| Lab | Cause | | 134-1 | 152-2 | 155-1 | 155-2 | XC | LC | ΧI | Lost | Starts | % |
| В | Dyno Contr Failure | ol | • | | | | | | • | 1 | 11 | 9% |
| | Broken Tee | th | • | | | | | | • | 2 | 11 | 18% |
| | | Lost | 3 | 0 | 0 | 0 | 0 | 0 | 3 | | | |
| | | Starts | 11 | 13 | 12 | 0 | 36 | 36 | 36 | | | |
| | | % | 27% | 0% | 0% | 0% | 0% | 0% | 8% | | | |

GEAR BATCH SEVERITY

| MNP COATED HARDWARE | | | | | | | | |
|---------------------|------------|---|--------|----------------|-------------|---|--|--|
| Parameter | Gear Batch | N | Δ/s | s ^A | Overall ∆/s | Overall Shift (in Merits) ^B | | |
| RIDG | 04-2014 | 9 | 0.058 | 0.974 | 0.058 | | | |
| RIPP | 04-2014 | 9 | -0.332 | 0.768 | -0.332 | | | |
| SPIT | 04-2014 | 9 | 0.222 | 0.192 | 0.222 | | | |
| WEAR | 04-2014 | 9 | -0.079 | 0.352 | -0.079 | • | | |

| | UNCOATED HARDWARE | | | | | | | | |
|-----------|-------------------|---|--------|----------------|-------------|---|--|--|--|
| Parameter | Gear Batch | N | Δ/s | s ^A | Overall ∆/s | Overall Shift (in Merits) ^B | | | |
| RIDG | 12-2019 | 4 | 0.625 | 0.722 | 0.341 | | | | |
| RIPP | 12-2019 | 4 | 1.000 | 0.833 | 0.017 | • | | | |
| SPIT | 12-2019 | 4 | 0.000 | 0.000 | 0.007 | • | | | |
| WEAR | 12-2019 | 4 | 0.929 | 1.368 | 0.238 | • | | | |
| RIDG | 01-2020 | 3 | -0.037 | 0.064 | 0.341 | | | | |
| RIPP | 01-2020 | 3 | -1.294 | 0.909 | 0.017 | • | | | |
| SPIT | 01-2020 | 3 | 0.017 | 0.029 | 0.007 | | | | |
| WEAR | 01-2020 | 3 | -0.683 | 0.302 | 0.238 | | | | |



A As computed using SA standard deviation published in the LTMS document.

LAB SEVERITY

| MNP COATED HARDWARE AVERAGE Δ/s | | | | | | | |
|---------------------------------|-----|---|--------|--------|-------|--------|--|
| Gear Batch | Lab | N | RIDG | RIPP | SPIT | WEAR | |
| | А | 1 | -0.875 | -1.5 | 0 | -0.889 | |
| 04-2014 | D | 2 | -1.400 | -0.600 | 0.333 | -0.286 | |
| | G | 6 | 0.700 | -0.048 | | 0.125 | |

| UNCOATED HARDWARE AVERAGE Δ/s | | | | | | | |
|-------------------------------|-----|---|--------|--------|-------|--------|--|
| Gear Batch | Lab | N | RIDG | RIPP | SPIT | WEAR | |
| 01-2020 | А | 2 | 0.000 | -1.083 | 0.000 | -0.857 | |
| 01-2020 | G | 1 | -0.111 | -1.714 | 0.050 | -0.333 | |
| 12-2019 | В | 3 | 0.833 | 1.417 | 0.000 | 1.524 | |
| 12-2019 | D | 1 | 0.000 | -0.250 | 0.000 | -0.857 | |

L-37-1 (D8165) SUMMARY OF SEVERITY & PRECISION

Severity

Uncoated— All parameters remained within the limits this period.

MnP Coated – All parameters remained within the limits this period.



SUMMARY OF SEVERITY & PRECISION (cont.)

Precision


Uncoated – All parameters remained within the precision limit this period.

MnP Coated – All parameters remained within the precision limit this period.

Industry control charts follow.




L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA





L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA IND not = '155-1' FINAL PINION GEAR PITTING/SPALLING


Results for 155-1 are not included in this SPIT chart due to its current targets yielding undefined calculations.



L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA IND not = '155-1' FINAL PINION GEAR PITTING/SPALLING

LTMS Precision Analysis


Results for 155-1 are not included in this SPIT chart due to its current targets yielding undefined calculations.



L-37-1 UNCOATED INDUSTRY OPERATIONALLY VALID DATA IND not = '155-1' FINAL PINION GEAR PITTING/SPALLING


CUSUM Severity Analysis

Results for 155-1 are not included in this SPIT chart due to its current targets yielding undefined calculations.




Test Monitoring Center

L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA





L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA

FINAL PINION GEAR RIDGING









Test Monitoring Center

L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA






L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA





L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA








L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA IND not = '155-1' FINAL PINION GEAR PITTING/SPALLING


Results for 155-1 are not included in this SPIT chart due to its current targets yielding undefined calculations.



L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA IND not = '155-1' FINAL PINION GEAR PITTING/SPALLING

LTMS Precision Analysis


Results for 155-1 are not included in this SPIT chart due to its current targets yielding undefined calculations.



L-37-1 MNP COATED INDUSTRY OPERATIONALLY VALID DATA IND not = '155-1' FINAL PINION GEAR PITTING/SPALLING

CUSUM Severity Analysis

Results for 155-1 are not included in this SPIT chart due to its current targets yielding undefined calculations.



A Program of ASTM International

Test Monitoring Center

TIMELINE ADDITIONS

| Effective Date | Information Letter | Event |
|-------------------|-----------------------|---|
| | | No information letters issued during this reporting period. |

LAB VISITS

Three lab visits were conducted during this reporting period. All observed areas of the test were found to be in compliance with the test procedure.



INFORMATION LETTERS

No information letters issued during this reporting period.

LTMS DEVIATIONS

No LTMS deviations were written this report period.

L-37-1 (D8165) STATUS OF REFERENCE OIL SUPPLY

| | | @ | TMC |
|-------|-------------|------|---------|
| Oil | Cans @ Labs | Cans | Gallons |
| 117 | 9 | 274 | 274.0 |
| 118 | 3 | 0 | 0.0 |
| 134 | 1 | 0 | 0.0 |
| 134-1 | 18 | 125 | 125.7 |
| 152-2 | 23 | 56 | 56.0 |
| 155 | 5 | 27 | 27.5 |
| 155-1 | 18 | 30 | 30.6 |
| Total | 77 | 512 | 513.8 |

The TMC quantity remaining presumes usage only for L-371 testing. Oil 155/155-1 is also used in other test areas (L-33-1, L-60-1, and HTCT). The 155-1 total also reflects that the L-60-1 surveillance panel has requested that TMC reserve a quantity of that oil (currently 22.9 gal) for use in that test.

A re-blend of 155-1 is available but has not yet been approved by the surveillance panel.