




Test Monitoring Center

@ Carnegie Mellon University
6555 Penn Avenue, Pittsburgh, PA 15206, USA

<http://astmtmc.cmu.edu>
412-365-1000

MEMORANDUM: 15-048
DATE: November 30, 2015
TO: Chris Pregelman, Chairman, L-37 Surveillance Panel
FROM: Scott Parke 
SUBJECT: L-37 Rater Calibration from April 1, 2015 through September 30, 2015

Please find attached a summary of L-37 rater calibration activity this period.

SDP/sdp/mem15-048.sdp.doc

cc: Frank Farber

Jeff Clark

L-37 Surveillance Panel


<ftp://ftp.astmtmc.cmu.edu/docs/gear/l37rc/semiannualreports/l37rc-10-2015.pdf>

Distribution: email

L-37 Rater Calibration

	Reporting Data	Calibrated on 9-30-15
Number of Labs	4	4
Number of Raters	9	9

BY-LAB RATER
DISTRIBUTION



8:05:06 25NOV2015

L-37 Rater Calibration

Test Distribution by Validity

		Totals	
		Last Period	This Period
Accepted for calibration	AC	11	10
Rejected (Mild)	OC	1	0
Rejected (Severe)	OC	3	4
Rejected (Multiple)	OC	0	0
Rejected (Precision)	OC	0	0
Workshop data	AG	24	12
<hr/>			
Total		39	26

L-37 Rater Calibration


Rater	N	RIDG		RIPP		SPIT		WEAR	
		Avg Yi	STD*	Avg Yi	STD*	Avg Yi	STD*	Avg Yi	STD*
E	4	-0.450	0.825	-0.591	0.785	-0.065	0.404	0.005	0.566
H	4	-0.323	0.427	0.153	0.546	0.133	0.237	0.360	0.354
I	8	-0.672	1.092	-0.881	1.037	-0.074	0.311	0.422	0.997
M	16	0.012	0.838	0.153	1.403	-0.191	1.239	-0.011	0.835
N	4	-0.162	0.648	-0.009	0.968	-0.206	0.385	-0.061	1.093
R	4	0.644	0.636	0.143	0.660	0.210	0.237	0.608	0.636
T	4	0.179	0.497	-0.238	0.633	-0.132	0.207	0.296	0.216
U	8	-0.064	0.918	0.227	0.880	-0.013	0.477	-0.059	0.774
Y	4	-0.119	0.710	-0.047	0.568	0.109	0.410	-0.356	1.074
ALL	56	-0.118	0.833	-0.092	1.043	-0.063	0.716	0.110	0.798

* Due to the small number of ratings per pinion, the standard deviation of the Yi values is given in place of a pooled standard deviation.

L-37 Rater Calibration

RIDGING

Severity as Measured by Delta/s




805:06 25NOV2015

L-37 Rater Calibration

RIPPLING

Severity as Measured by Delta/s




8.05.06 25NOV2015

L-37 Rater Calibration

SPITTING

Severity as Measured by Delta/s




805.06 25NOV2015

L-37 Rater Calibration

WEAR

Severity as Measured by Delta/s




805:06 25NOV2015

L-37 Rater Calibration

RIDGING

Precision as Measured by Yi STD




805:06 25NOV2015

L-37 Rater Calibration

RIPPLING

Precision as Measured by Yi STD




805:06 25NOV2015

L-37 Rater Calibration

SPITTING

Precision as Measured by Yi STD




805:06 25NOV2015

L-37 Rater Calibration

WEAR

Precision as Measured by Yi STD



805.06 25NOV2015

L-37 Rater Calibration

SUMMARY OF SEVERITY & PRECISION

Severity
Industry severity for all parameters remained within limits throughout this report period.
Precision
Industry precision for all parameters also remained within limits throughout the period.


Industry control charts follow.

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIDGING

LTMS Severity Analysis




30NOV15:14:38

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIPPLING

LTMS Severity Analysis



Severe


30NOV15:14:37

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

SPITTING

LTMS Severity Analysis



Severe


30NOV15:14:38

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

WEAR

LTMS Severity Analysis



Severe


30NOV15:14:37

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIDGING

LTMS Precision Analysis




30NOV15:14:41

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIPPLING

LTMS Precision Analysis




30NOV15:14:41

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

SPITTING

LTMS Precision Analysis




30NOV15:14:41

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

WEAR

LTMS Precision Analysis




30NOV15:14:41

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIDGING

CUSUM Severity Analysis




30NOV15:14:45

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIPPLING

CUSUM Severity Analysis




30NOV15:14:45

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

SPITTING

CUSUM Severity Analysis




30NOV15:14:45

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

WEAR

CUSUM Severity Analysis



30NOV15:14:45