




Test Monitoring Center

@ Carnegie Mellon University
6555 Penn Avenue, Pittsburgh, PA 15206, USA

<http://astmtmc.cmu.edu>
412-365-1000

MEMORANDUM: 13-061
DATE: November 14, 2013
TO: Chris Pregelman, Chairman, L-37 Surveillance Panel
FROM: Scott Parke 
SUBJECT: L-37 Rater Calibration from April 1, 2013 through September 30, 2013

Please find attached a summary of L-37 rater calibration activity this period.

SDP/sdp/mem13-061.sdp.doc

cc: Frank Farber

Jeff Clark

L-37 Surveillance Panel


<ftp://ftp.astmtmc.cmu.edu/docs/gear/l37rc/semiannualreports/l37rc-10-2013.pdf>

Distribution: email

L-37 Rater Calibration

	Reporting Data	Calibrated on 9-30-13
Number of Labs	4	4
Number of Raters	9	9

BY-LAB RATER DISTRIBUTION



13:46:36 12NOV2013


L-37 Rater Calibration

Test Distribution by Validity

		Totals	
		Last Period	This Period
Accepted for calibration	AC	11	11
Rejected (Mild)	OC	1	1
Rejected (Severe)	OC	2	1
Rejected (Multiple)	OC	0	1
Rejected (Precision)	OC	1	0
Workshop data	AG	27	18
<hr/>			
Total		42	32


L-37 Rater Calibration

FAILED TESTS (by Parameter)



L-37 Rater Calibration

FAILED TESTS (by Alarm Type)



L-37 Rater Calibration


Rater	N	RIDG		RIPP		SPIT		WEAR	
		Avg Yi	STD*	Avg Yi	STD*	Avg Yi	STD*	Avg Yi	STD*
E	4	0.632	0.487	0.065	0.695	0.241	0.278	-0.533	0.653
H	4	-0.016	0.509	-0.329	1.045	0.304	0.225	0.263	0.655
I	4	-0.746	0.533	-0.103	0.439	-0.098	0.226	-0.740	0.883
M	8	-0.108	1.011	0.038	0.488	-0.226	1.214	-0.418	1.375
N	8	0.375	1.297	0.458	0.748	-0.075	0.296	0.177	0.579
R	4	-0.338	0.393	0.089	0.270	-0.062	0.327	-0.215	1.311
T	4	-0.162	0.379	0.556	0.221	0.198	0.231	-0.042	0.438
U	8	-0.720	0.382	-0.052	0.984	0.143	0.704	0.130	0.899
X	12	-0.585	1.797	0.079	1.562	0.026	0.427	-0.520	0.816
ALL	56	-0.235	1.124	0.100	0.933	0.025	0.585	-0.218	0.908

* Due to the small number of ratings per pinion, the standard deviation of the Yi values is given in place of a pooled standard deviation.

L-37 Rater Calibration

RIDGING

Severity as Measured by Delta/s




13:46:36 12NOV2013

L-37 Rater Calibration

RIPPLING

Severity as Measured by Delta/s




13:46:36 12NOV2013

L-37 Rater Calibration

SPITTING

Severity as Measured by Delta/s




13:46:36 12NOV2013

L-37 Rater Calibration

WEAR

Severity as Measured by Delta/s




13:46:36 12NOV2013

L-37 Rater Calibration

RIDGING

Precision as Measured by Yi STD




13:46:36 12NOV2013

L-37 Rater Calibration

RIPPLING

Precision as Measured by Y_i STD




13:46:36 12NOV2013

L-37 Rater Calibration

SPITTING

Precision as Measured by Yi STD




13:46:36 12NOV2013

L-37 Rater Calibration

WEAR

Precision as Measured by Yi STD



13:46:36 12NOV2013

L-37 Rater Calibration

SUMMARY OF SEVERITY & PRECISION

Severity

Two severe RIDG results this period drove the industry chart over the action alarm limit. The several tests since then have returned to target. RIPP, SPIT, and WEAR were generally on target.


Precision

The March 2011 target update generally reduced the target standard deviations. This accounts for the increase in variability shown in testing seen since then. Despite this, industry precision for all parameters remains good.

Industry control charts follow.


L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA



L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA




L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIDGING

LTMS Precision Analysis




12NOV13:11:49

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIPPLING

LTMS Precision Analysis




12NOV13:11:49

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

SPITTING

LTMS Precision Analysis




12NOV13:11:49

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

WEAR

LTMS Precision Analysis




12NOV13:11:49

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIDGING

CUSUM Severity Analysis




12NOV13:11:51

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

RIPPLING

CUSUM Severity Analysis




12NOV13:11:51

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA

SPITTING


CUSUM Severity Analysis



12NOV13:11:51

L-37 Rater Calibration

L-37 RATER CALIBRATION INDUSTRY OPERATIONALLY VALID DATA



12NOV13:11:51