Address 100 Barr Harbor Drive PO Box C700 W. Conshohocken, PA 19428-2959 | USA Phone 610.832.9500 Fax 610.832.9666 Web www.astm.org

### Committee D02 on PETROLEUM PRODUCTS AND LUBRICANTS

Chairman: KENNETH O. HENDERSON, Cannon Instrument Co., 2139 High Tech Road, State College, PA 16803,

(814) 353-8000, Fax: (814) 353-8007, e-mail: kenohenderson@worldnet.att,net

First Vice-Chairman: BEN R. BONAZZA, TI Group Automotive Systems, Caro Research Center, 326 Green Street, Caro, MI, 48723

(989) 673-8181 ext. 227, Fax: (989) 673-3241, e-mail: bbonazza@us.tiauto.com

Second Vice-Chairman: JANET L. LANE, ExxonMobil Research & Engrg., 600 Billingsport Rd, Paulsboro, NJ 08066-0480

(856) 224-3302, Fax: (856) 224-3616, e-mail: janet.l.lane@exxonmobil.com

First Secretary: RALPH A. CHERRILLO, Shell Global Solutions (US) Inc., Westhollow Tech Ctr., 3333 Highway 6 South,

Houston, TX 77082 (281) 544-8789, Fax: (281) 544-8150, e-mail: ralph.cherrillo@shell.com
Second Secretary: MICHAEL A. COLLIER, Petroleum Analyzer Co. LP, PO Box 206, Wilmington, IL 60481, (815) 458-0216,

Fax: (815) 458-0217, e-mail: macvarlen@aol.com

Staff Manager: DAVID R. BRADLEY, (610) 832-9681, Fax. (610) 832-9668, e-mail: dbradley@astm.org

Dec. 6<sup>th</sup>, 2012

Reply to:
Thomas Gottwald
Afton Chemical Corporation
500 Spring St.
Richmond, VA 23219
(804) 788-5230
(804) 788-6239 [FAX]
thomas.gottwald@aftonchemical.com

ASTM D02.B0.03 L-42 Surveillance Panel Members and Guests:

Attached for your review and comment are the unconfirmed minutes of the:

Nov. 7<sup>th</sup>, 2012 Surveillance Panel Meeting (Automation Alley – Troy, MI)

Please direct any corrections or comments to my attention.

Very Respectfully,

Hatterdy

Thomas Gottwald, Chairman L-42 Surveillance Panel

### L-42 Surveillance Panel Meeting Minutes

#### **Automation Alley**

Troy, MI

Nov. 7, 2012

### Attendees: voting members in bold

B. Koehler (SwRI)	J. Gropp (LZ)	R. Banas (XOM)	B. Bubonic (LZ)
D. Smith (Intertek)	K. Hobson (Afton)	M. Umerly (LZ)	B. Dwornick (US
S. Parke (TMC)	L. Hamilton (LZ)	C. O'Brien (GM)	Arm <b>y</b> )
T. Gottwald	P. Kanga (XOM)	G. Greene (BASF)	A. Comfort (US Army)
(Afton/C)	T. Boschert (Afton)	H. Chambers	<b>,</b> ,
J. Dharte (AAM)	W. Venhoff (LZ)	(Linamar)	
A. Athey (Volvo)	A. Trader (Intertek)	B. McGlone	
D. Bell (Afton)	B. Kearney (Afton)	(Meritor)	

### Call to Order

The meeting PowerPoint presentation is attached.

### **Review of Membership**

The sign-in sheet is attached and up-to-date.

Motion by Mr. Hamilton, second by Mr. Smith, to allow Mr. Greene of BASF to be a voting member on the Surveillance Panel. Motion passed unanimously (verbal).

#### **Review of Agenda**

The meeting agenda is attached (slide 2 of attached PowerPoint presentation).

#### **Approval of Meeting Minutes**

Meeting minutes from the Aug. 8, 2012 L-42 Surveillance Panel meeting, held at the PRI Headquarters in Warrendale, PA.

Motion by Mr. Hamilton, second by Mr. McGlone, to approve the meeting minutes as presented. Motion passed unanimously (verbal).

Review of action items from Aug. 8 meeting ensued (slide 3 of attached PowerPoint presentation).

- TMC to request suppliers to look back to see if they have a comparable 116-1 fluid and to contact Frank Farber at the TMC with any possible solutions.
  - o See following section of minutes
- TMC will get the newly approved templates to ASTM. The TMC will put out an information letter pertaining to the use of the templates as soon as they are available from ASTM.
  - The templates are currently at the printer. An information letter will be sent out, by the TMC, once the templates are available for purchase.
- Chairman to confirm that all components are in Dry Ridge and to communicate to Ft. Wayne and reiterate urgency of industry order.
  - o Complete
- Bring [drive-side] scored parts to Nov. SP meeting.
  - o Complete
- Determine go/no-go limit at Nov. SP meeting.
  - See "Drive-side Scoring go/no-go Limit" section of minutes

#### Reference Oil 116-1 Replacement

Mr. Parke presented data offered on oil replacement, submitted to the TMC, as seen in the attached table (reference the highlighted 80W-90 variant).

The Panel expressed concerns that they hoped to have a candidate that was more comparable to the current oil, 116-1, stating that the proposed oil's scoring percentages significantly changed the target value of the reference oil.

Question of the current 116-1 supply revealed that there are currently 35 gal of 116-1 left, as of Nov. 6, 2012. This correlates to 70 tests worth of oil.

The TMC proposed that a correction factor could be the solution and proper approach, if the proposed oil gets chosen. It was noted that correction factors have never been used with L-42 test results in the past, however they have been used on other tests. Mr. Gropp asked if the labs could establish a hard limit value/band for the oil instead. Conversely, Mr. Smith stated that the hardware and stand limitations would prevent this "hard limit" approach because a hard pass/fail line must move with stand corrections. Mr. Koehler stated that a current band is in place for the 116-1 fluid and that it may change over time. He expressed interest in adding scoring bands to the L-42-1 wish list.

It was decided that the proposed oil is not turn-key; therefore, the following action items resulted:

ACTION: The TMC should come up with a correction factor, with scoring bands, for the proposed oil for the Panel's review.

ACTION: The Panel should keep asking for replacement fluids.

If the TMC's data looks good for the proposed oil, the TMC will acquire oil for development purposes and investigative runs will be made at the labs.

#### **Hardware Update**

**Industry Order** 

The participating labs have received all axles, as of Nov. 5, 2012. (Quantities can be seen in the table on page 6 of the attached PowerPoint presentation). It was noted that the industry received roughly 10% (70 units) less than originally ordered from Dana because they were lost in production, due to Lubriting.

#### **Proposed Approval Matrix**

The labs and Panel agreed that a simple matrix of 3 passing runs (TMC oil 116-1) and 1 discrimination run (TMC oil 113) would suffice for the hardware approval process. The results of this matrix are very dependent on whether or not the full industry batch hardware shows signs of drive-side scoring. SwRI expressed a need for all the labs to complete this matrix during a specified timing window (possibly starting the week of Dec. 1, 2012). SwRI will run a couple shakedown tests prior to this window as tuning runs.

ACTION: The Chairman will set up a call with the L-42 Hardware Task Force, the week of Nov. 12, to determine the exact timing of testing for the matrix window.

#### Drive-side Scoring go/no-go Limit

At the Aug. 8 Surveillance Panel meeting, 10% drive-side scoring was discussed as the tentative limit. The Panel agreed to go ahead with a 10% drive-side scoring limit, in the event that the labs could not work on tuning drive-side scoring out. The labs preferred to us the currently approved coast-side templates for the drive-side ratings, noting that the areas on the tooth surfaces are not the same. The new templates designate 11% and 8%, but not 10%. The question was posed, would this be a problem? The Panel didn't think so and it was determined that the labs could proceed using their templates.

Therefore, new templates do not need to be developed for drive-side rating.

#### L-42-1 Preliminary Discussions

The Aug. 8 Surveillance Panel meeting minutes stated:

There is concern to start discussions for a Next Generation L-42 test, because the current L-42 hardware order with Dana may last less than two years. This topic will be on the agenda for the Surveillance Panel meeting in Troy, MI in Nov.

This need was discussed and Mr. Koehler made the motion to form a working group to develop a replacement test, called L-42-1. Second, Mr. Hamilton. Motion passed 10/0/0.

ACTION: The Chairman will call for volunteers from the Panel to make up this working group and set up a meeting/call for the group.

### New/Open Issues

No new/open issues.

### <u>Adjournment</u>

Motion to adjourn, Mr. Koehler. Second, Mr. Dharte. Motion passed unanimously (verbal).

Respectfully submitted,

**Thomas Gottwald** 

L-42 Surveillance Panel Chairman

### L42 Data for Demo Oil 1-B's performance additive

### Scoring must be less than the passing reference oil

Viscosity Grade	80W-90	85W-140	80W-90							
Coating	Green									
Test Type	Standard									
% Scoring Coast Side of Pinion	14	11	22	15	22	17	13	17	20	18
% Scoring Coast Side of Ring	8	5	13	6	12	8	7	12	10	11
% Scoring Coast Side of Pinion (Ref. Oil)	22	25	25	25	26	25	25	22	23	23
% Scoring Coast Side of Ring (Ref. Oil)	11	15	20	14	15	15	15	15	13	13

Viscosity Grade	80W-90									
Coating	Green									
Test Type	Standard									
No. 10 Property of the Parish Street, Square, Square, Square, Square, Square, Square, Square, Square, Square,										
% Scoring Coast Side of Pinion	16	13	15	21	18	21	20	10	15	16
% Scoring Coast Side of Ring	9	9	12	12	13	12	14	6	12	12
% Scoring Coast Side of Pinion (Ref. Oil)	23	23	22	25	25	25	22	22	22	22
% Scoring Coast Side of Ring (Ref. Oil)	13	13	15	15	15	15	16	15	15	15

Viscosity Grade	80W-90	80W-90
Coating	Green	Green
Test Type	Standard	Standard
% Scoring Coast Side of Pinion	9	12
% Scoring Coast Side of Ring	5	6
% Scoring Coast Side of Pinion (Ref. Oil)	22	21
% Scoring Coast Side of Ring (Ref. Oil)	15	15



### L-42 Surveillance Panel Meeting

Automation Alley
Troy, MI
November 7, 2012
11am-12pm EST

### Agenda

- Call to Order
- Membership/Agenda Review
- Approval of Meeting Minutes
  - Action Item Review
- Reference Oil 116-1 Replacement (TMC)
- Hardware Update
  - Completed Order
  - ▲ Approval Matrix
- Drive-side Scoring go/no-go Limit
- **△ L-42-1 Preliminary Discussions**
- Adjournment



## **Approval of Meeting Minutes**

### SP Meeting Minutes

- ▲ Aug 8, 2012 Warrendale, PA
- ◆ Posted to TMC website on 11/2/12
  - File name "20120808\_SP.pdf"



## Action Items from Aug 8 Meeting Minutes

- TMC to request suppliers to look back to see if they have a comparable 116-1 fluid and to contact Frank Farber at the TMC with any possible solutions.
- TMC will get the newly approved templates to ASTM. The TMC will put out an information letter pertaining to the use of the templates as soon as they are available from ASTM.
- Chairman to confirm that all components are in Dry Ridge and to communicate to Ft. Wayne and reiterate urgency of industry order.
- Bring [drive-side] scored parts to Nov. SP meeting.
- Determine go/no-go limit at Nov. SP meeting.



# Reference Oil 116-1 Replacement

TMC has the floor



## Hardware Update

### Industry Order

- ◆ Participating labs have received all axles, as of Mon. Nov. 5, 2012
  - 10% less than originally ordered (due to production losses)

Customer	P.O. Qty	Actual Qty
Afton	329	297
Lubrizol	194	175
Southwest	220	198

### Proposed Approval Matrix

- ▲ 3 pass runs
- 1 discrimination run



### Drive-side Scoring Go/No-go Limit

- At the Aug. 8 SP meeting, 10% drive-side scoring was discussed as the tentative limit.
- Labs preferred to use coast-side templates for this, noting that the area is not the same.
- New templates designate 11% and 8%, is this a problem?

L-42 Rating Template Comparison (Pinion)

Not Actual Size
For Inyout comparison only
Not acceptable for rating

Current

Proposed (set of 3)

L-42 Rating Template Comparison (Ring)



Current







Proposed (set of 3)

Passion for Solutions™



# Next Generation L-42

- ▲ Name: L-42-1 (?)
- Setup
  - ▲ Electric
- Parts
  - Production vs. Test Specific
- Designer
  - ▲ Independent 3<sup>rd</sup> Party (?)



# New/Open Issues

Anything?



### Thanks!



# L-42 Surveillance Panel Membership/Attendance Automation Alley - Troy, MI November 7, 2012

Initials	Name	Voting Non-Voting	Company Name Conpany Address		Contact information
11-		,,	Volvo Powertrain	Phone:	301-573-5684
Call-in	Allison Athey 🗸	V	13302 Pennsylvania Ave. Hagerstown, MD 21740	E-mail:	allison.athey@volvo.com
ale	n i e k e l i e		Southwest Research Institute	Phone:	210-522-3588
	Brian Koehler 🗸	V	P.O. Drawer 28510 San Antonio, TX 78228-0510	E-mail:	Bkoehler@swri.org
	Puls Suite	W	Intertek Automotive Research	Phone:	412-855-6854
200	Dale Smith 🗸	V	5404 Candera Rd Son Antonio TX 78238	E-mail:	dale.smith@intertek.com
//	Scott Parke	V	ASTM Test Monitoring Center	Phone:	412-365-1036
36			6555 Penn Ave Pittsburg, PA 15206	E-mail:	sdp@astmtmc.cmu.edu
1	Thomas Gottwald	/ V/Chair	Afton Chemical	Phone:	804-788-5230
16			500 Spring St. Richmond, VA 23219	E-mail:	thomas.gottwald@aftonchemical.com
	D:II (/ /	A11/	Afton Chemical	Phone:	248-350-0640
WAY.	Bill Kearney $\checkmark$	NV	500 Spring St. Richmond, VA 23219	E-mail:	bill.kearney@aftonchemical.com
	Don Bell	<b>A</b> 11./	Afton Chemical	Phone:	804-788-6332
DRB	Don Bell ✓	NV	500 Spring St. Richmond, VA 23219	E-mail:	don.bell@aftonchemical.com
	loff Clark	NV	ASTM Test Monitoring Center	Phone:	412-365-1032
*	Jeff Clark √	NV	6555 Penn Ave Pittsburg, PA 15206	E-mail:	jac@astmtmc.cmu.edu

### L-42 Surveillance Panel Membership/Attendance Automation Alley - Troy, MI November 7, 2012

Initials	Name .	Voting Non-Voting	Company Name Conpany Address		Contact information
14			The Lubrizol Corporation	Phone:	440-347-1223
24	Jerry Grópp 🗸	NV	29400 Lakeland Boulevard Wickliffe, OH 44092	E-mail:	jerrold.gropp@lubrizol.com
-1	Kevin Hobson	NIV.	Afton Chemical	Phone:	804-788-5307
KH	Kevin Hobson ✓	NV	500 Spring St. Richmond, VA 23219	E-mail:	kevin.hobson@aftonchemical.com
	Whated 7 will o	NV	General Motors	Phone:	248-977-9214
_	Khaled Zreik ✓	NV	823 Joslyn Ave Pontiac, MI 84340-2925	E-mail:	khaled.zreik@gm.com
.1	Larry Hamilton	V	The Lubrizol Corporation	Phone:	440-347-2326
LH			29400 Lakeland Boulevard Wickliffe, OH 44092	E-mail:	larry.hamilton@lubrizol.com
11/8	Percy Kanga	ANV.	ExxonMobil Research & Engineering	Phone:	856-224-2094
gran		NV	600 Billingsport Rd. Paulsboro, NJ 08066	E-mail:	percy.r.kanga@exxonmobil.com
	Sama Himunhi	NV	Afton Chemical	Phone:	804-788-5375
	Sam Higuchi	NV	500 Spring St. Richmond, VA 23219	E-mail:	samuel.higuchi@aftonchemical.com
2103	T	NO.	Afton Chemical	Phone:	804-788-5202
	Tom Boschert 🗸	NV	500 Spring St. Richmond, VA 23219	E-mail:	tom.boschert@aftonchemical.com
01			US Army TARDEC	Phone:	586-282-4221
RD	Bridget Dwornick	get Dwornick NV	6501 E. 11 Mile Rd. RDTA-DP MS 110 Warren, MI 48397	E-mail:	bridget.dwornick@us.army.mil

idha@lubrizd.com

### L-42 Surveillance Panel Membership/Attendance Automation Alley - Troy, MI November 7, 2012

	Initials	Name	Voting Non-Voting	Company Name Conpany Address		Contact information
$   \sqrt{1} $	200	Bruce McGlone √	V	Meritor	Phone:	248-435-9929
	An (	Bruce Medione V			E-mail:	bruce.mcglone@meritor.com
	, E	Wes Venhoff 🗸	NV	The Lubrizol Corporation	Phone:	440-347-4879
	MAE	vves veniloti y	IVV	29400 Lakeland Boulevard Wickliffe, OH 44092	E-mail:	wes.venhoff@lubrizol.com
		Angela Trader	- NV	Intertek Automotive Research	Phone:	210-706-1533
	<i>t</i> Pn	Aligeia Hadel	NV	5404 Bandera Rd. San Antonio TX 78238	E-mail:	angela.trader@intertek.com
		Troy Muransky	NV (ALT)	Meritor	Phone:	248-435-1409
		Troy Maranaky		in the second se	E-mail:	troy.muransky@meritor.com
	a 10	Cheryl O'Brien	t V	General Motors	Phone:	248-343-7347
	(Ly)			Milford Pontiac, MI 84346-2925 MI	Motors E-mail: 48380	cheryl.obrien@gm.com
	$\Lambda \Lambda$			US Army TARDEC	Phone:	586-282-4225
	N.C.	, well common			E-mail:	allen.s.comfort.civ@mail.mil
	200	John Dharte		AAM	Phone:	313-758-4687
	110	Joilli Dilaite		1 Dauch Drive Detroit, MI 48212	E-mail:	dhartej@aam.com
	N/b	Rob Banas	NV	ExxonMobil Fuels, Lubricants & Specialties	Phone:	678-493-3930
	Ken	KOD Dallas V	INV	114 Arcadia Park Dr. Canton, GA 30114	E-mail:	rob.a.banas@exxonmobil.com

### 1-42 Surveillance Panel Membership/Attendance Automation Alley - Troy, MI November 7, 2012

Initials	Name	Voting Non-Voting	Company Name Conpany Address	Contact information		
MU			The Lubrizol Corporation	Phone:	440-347-4589	
/10 ·	Matt Umerly V Umerley	NV	29400 Lakeland Boulevard Wickliffe, OH 44092	E-mail:	matthew.umerley@lubrizol.com	
	Ryan Thorpe 🗸	NV	Southwest Research Institute	Phone:	210-522-6409	
_	kyan morpe v	MV		E-mail:		
6hb	Galen Greene	V ( <b>13</b> )	BASF	Phone:	973-245-5509	
	Galen Greene V	V 🐸		E-mail:	galen.greene@basf.com	
16			Linamar Driveline Systems	Phone:	248-358-6038	
Called- In	Harold Chambers 🗸	ŅV	Travelers Tower 1 26555 Evergreen Rd. Ste 900 Southfield, MI 48076	E-mail:	harold.chambers@linamar.com	* .
۸	10000000	, ,	THE LUBRIZOL CORP.	Phone:	440 347 -5325	
BB	BRAD BLOOM	NV	29400 LAILELAWA BUD WICKLIFFE OH 44092	E-mail:	bradibubonic@ LURS	oi.com
				Phone:		
-				E-mail:	,	_
				Phone:		
				E-mail:		
				Phone:		
				E-mail:		